

Kaiser Permanente  
**Research**

# Publications



# 2014 Publications

Scientists, clinicians, and other health professionals from Kaiser Permanente Southern California authored scholarly publications on a wide range of topics in 2014, from aging and geriatrics to women's health. Kaiser Permanente Southern California authors are noted in **bold**.



## Aging and Geriatrics

Agmon M, Belza B, **Nguyen HQ**, Logsdon RG, Kelly VE. A systematic review of interventions conducted in clinical or community settings to improve dual-task postural control in older adults. *Clin Interv Aging*. 2014;9:477-492.

Boland BS, **Dong MH**, Bettencourt R, Barrett-Connor E, Loomba R. Association of serum bilirubin with aging and mortality. *J Clin Exp Hepatol*. 2014;4(1):1-7.



## Allergy and Asthma

Beigelman A, **Zeiger RS**, Kelly HW, Bacharier LB; Childhood Asthma Research and Education Network of National Heart, Lung, and Blood Institute. The challenge of treating preschool wheezing episodes: the need for evidence-based approaches. *J Allergy Clin Immunol*. 2014;133(4):1016-1017.

Beigelman A, **Zeiger RS**, Mauger D, Strunk RC, Jackson DJ, Martinez FD, Morgan WJ, Covar R, Szeffler SJ, Taussig LM, Bacharier LB; Childhood Asthma Research and Education (CARE) Network of the National Heart, Lung, and Blood Institute. The association between vitamin D status and the rate of exacerbations requiring oral corticosteroids in preschool children with recurrent wheezing. *J Allergy Clin Immunol*. 2014;133(5):1489-1492, 1492.e1-3.

Burks AW, **Land MH**. Long-term follow-up of IgE-mediated food allergy: determining persistence versus clinical tolerance. *Ann Allergy Asthma Immunol*. 2014;112(3):200-206.

Calhoun WJ, Haselkorn T, Mink DR, Miller DP, Dorenbaum A, **Zeiger RS**. Clinical burden and predictors of asthma exacerbations in patients on guideline-based steps 4-6 asthma therapy in the TENOR cohort. *J Allergy Clin Immunol Pract*. 2014;2(2):193-200.

Howrylak JA, Fuhlbrigge AL, Strunk RC, **Zeiger RS**, Weiss ST, Raby BA; Childhood Asthma Management Program Research Group. Classification of childhood asthma phenotypes and long-term clinical responses to inhaled anti-inflammatory medications. *J Allergy Clin Immunol*. 2014;133(5):1289-1300, 1300.e1-12.

**Kim SJ**, Sheikh J, Kaplan MS, **Goldberg BJ**. Trends in allergy/immunology inpatient consultations, 1991-2013. *Ann Allergy Asthma Immunol*. 2014;113(5):577-578.

**Kim SJ**, Brooks JC, Sheikh J, Kaplan MS, **Goldberg BJ**. Angioedema deaths in the United States, 1979-2010. *Ann Allergy Asthma Immunol*. 2014;113(6):630-634.

Litonjua AA, Lange NE, Carey VJ, Brown S, Laranjo N, O'Connor GT, Sandel M, Strunk RC, Bacharier LB, **Zeiger RS**, **Schatz M**, Hollis BW, Weiss ST. The Vitamin D Antenatal Asthma Reduction Trial (VDAART): rationale, design, and methods of a randomized, controlled trial of vitamin D supplementation in pregnancy for the primary prevention of asthma and allergies in children. *Contemp Clin Trials*. 2014;38(1):37-50.

**Macy E**, **Contreras R**. Health care use and serious infection prevalence associated with penicillin 'allergy' in hospitalized patients: a cohort study. *J Allergy Clin Immunol*. 2014;133(3):790-796.

**Macy E**. Penicillin and beta-lactam allergy: epidemiology and diagnosis. *Curr Allergy Asthma Rep*. 2014;14(11):476.

Malka J, Mauger DT, Covar R, Rabinovitch N, Lemanske RF, Spahn JD, Strunk RC, **Zeiger RS**, Morgan WJ, Szeffler SJ. Eczema and race as combined determinants for differential response to step-up asthma therapy. *J Allergy Clin Immunol*. 2014;134(2):483-485.

Murphy VE, **Schatz M**. Asthma in pregnancy: a hit for two. *Eur Respir Rev*. 2014;23(131):64-68.

**Namazy JA**, **Schatz M**. The safety of asthma medications during pregnancy: an update for clinicians. *Ther Adv Respir Dis*. 2014;8(4):103-110.

**Namazy JA**, **Schatz M**. Diagnosing rhinitis during pregnancy. *Curr Allergy Asthma Rep*. 2014;14(9):458.

**Namazy JA**, Chambers C, **Schatz M**. Safety of therapeutic options for treating asthma in pregnancy. *Expert Opin Drug Saf*. 2014;13(12):1613-1621.

Rabinovitch N, Mauger DT, Reisdorph N, Covar R, Malka J, Lemanske RF, Morgan WJ, Guilbert TW, **Zeiger RS**, Bacharier LB, Szeffler SJ. Predictors of asthma control and lung function responsiveness to step 3 therapy in children with uncontrolled asthma. *J Allergy Clin Immunol*. 2014;133(2):350-356.

Schatz M, Zeiger RS, Yang SJ, Chen W, Crawford W, Sajjan S, Allen-Ramey F. Change in asthma control over time: predictors and outcomes. *J Allergy Clin Immunol Pract.* 2014;2(1):59-64.

Schatz M, Hsu JW, Zeiger RS, Chen W, Dorenbaum A, Chipps BE, Haselkorn T. Phenotypes determined by cluster analysis in severe or difficult-to-treat asthma. *J Allergy Clin Immunol.* 2014;133(6):1549-1556.

Schatz M, Meckley LM, Kim M, Stockwell BT, Castro M. Asthma exacerbation rates in adults are unchanged over a 5-year period despite high-intensity therapy. *J Allergy Clin Immunol Pract.* 2014;2(5):570-574.e1.

Schatz M, Rosenwasser L. The allergic asthma phenotype. *J Allergy Clin Immunol Pract.* 2014;2(6):645-648.

Tanno LK, Calderon MA, Goldberg BJ, Akidis CA, Papadopoulos NG, Demoly P. Categorization of allergic disorders in the new World Health Organization International Classification of Diseases. *Clin Transl Allergy.* 2014;4:42.

Zeiger RS, Schatz M, Li Q, Solari PG, Zazzali JL, Chen W. Real-time asthma outreach reduces excessive short-acting  $\beta$ 2-agonist use: a randomized study. *J Allergy Clin Immunol Pract.* 2014;2(4):445-456, 456.e1-5.

Zeiger RS, Schatz M, Li Q, Chen W, Khatry DB, Gossage D, Tran TN. High blood eosinophil count is a risk factor for future asthma exacerbations in adult persistent asthma. *J Allergy Clin Immunol Pract.* 2014;2(6):741-750.



## Bone Health and Orthopedics

Acevedo DC, Mann T, Abboud JA, Getz C, Baumhauer JF, Voloshin I. Reverse total shoulder arthroplasty for the treatment of proximal humeral fractures: patterns of use among newly trained orthopedic surgeons. *J Shoulder Elbow Surg.* 2014;23(9):1363-1367.

Allepuz A, Havelin L, Barber T, Sedrakyan A, Graves S, Bordini B, Hoeffel D, Cafri G, Paxton E. Effect of femoral head size on metal-on-HXLPE hip arthroplasty outcome in a combined analysis of six national and regional registries. *J Bone Joint Surg Am.* 2014;96 Suppl 1:12-18.

Anakwenze OA, Pifer MA, Singh A. Clavicle stress fracture after reverse shoulder arthroplasty. *J Shoulder Elbow Surg.* 2014;23(7):e170-172.

Anakwenze OA, Kwon D, O'Donnell E, Levine WN, Ahmad CS. Surgical treatment of posterolateral rotatory instability of the elbow. *Arthroscopy.* 2014;30(7):866-871.

Anderson JJ, Boone JJ, Hansen M, Brady C, Gough A, Swayzee Z. Ankle arthrodesis fusion rates for mesenchymal stem cell bone allograft versus proximal tibia autograft. *J Foot Ankle Surg.* 2014;53(6):683-686.

Bai G, He D, Yang C, Chen M, Yuan J, Wilson JJ. Application of digital templates to guide total alloplastic joint replacement surgery with biomet standard replacement system. *J Oral Maxillofac Surg.* 2014;72(12):2440-2452.

Banerjee S, Cafri G, Isaacs AJ, Graves S, Paxton E, Marinac-Dabic D, Sedrakyan A. A distributed health data network analysis of survival outcomes: the international consortium of orthopaedic registries perspective. *J Bone Joint Surg Am.* 2014;96 Suppl 1:7-11.

Beck JD, Harness NG, Spencer HT. Volar plate fixation failure for volar shearing distal radius fractures with small lunate facet fragments. *J Hand Surg Am.* 2014;39(4):670-678.

Bini SA, Khatod M, Inacio MC, Paxton EW. Same-day versus staged bilateral total knee arthroplasty poses no increase in complications in 6672 primary procedures. *J Arthroplasty.* 2014;29(4):694-697.

Bugbee WD, Kermanshahi AY, Munro MM, McCauley JC, Copp SN. Accuracy of a hand-held surgical navigation system for tibial resection in total knee arthroplasty. *Knee.* 2014;21(6):1225-1228.

Comfort T, Baste V, Froufe MA, Namba R, Bordini B, Robertsson O, Cafri G, Paxton E, Sedrakyan A, Graves S. International comparative evaluation of fixed-bearing non-posterior-stabilized and posterior-stabilized total knee replacements. *J Bone Joint Surg Am.* 2014;96 Suppl 1:65-72.

Csintalan RP, Inacio MC, Funahashi TT, Maletis GB. Risk factors of subsequent operations after primary anterior cruciate ligament reconstruction. *Am J Sports Med.* 2014;42(3):619-625.

Csintalan RP, Latt LD, Fornalski S, Raiszadeh K, Inacio MC, Fithian DC. Medial patellofemoral ligament (MPFL) reconstruction for the treatment of patellofemoral instability. *J Knee Surg.* 2014;27(2):139-146.

Doron R, Amar E, Rath E, Sampson T, Ochiai D, Matsuda DK. Arthroscopy of the nondistractable hip: a novel extracapsular approach. *Arthrosc Tech.* 2014;3(6):e723-5.

Guppy KH, Paxton EW, Harris J, Alvarez J, Bernbeck J. Does bone morphogenetic protein change the operative nonunion rates in spine fusions? *Spine.* 2014;39(22):1831-1839.

Inacio MC, Silverstein DK, Raman R, Macera CA, Nichols JF, Shaffer RA, Fithian D. Weight patterns before and after total joint arthroplasty and characteristics associated with weight change. *Perm J.* 2014;18(1):25-31.

Inacio MC, Kritz-Silverstein D, Raman R, Macera CA, Nichols JF, Shaffer RA, Fithian DC. The impact of pre-operative weight loss on incidence of surgical site infection and readmission rates after total joint arthroplasty. *J Arthroplasty.* 2014;29(3):458-464.e1.

- Inacio MC**, Kritz-Silverstein D, Raman R, Macera CA, Nichols JF, Shaffer RA, **Fithian DC**. The risk of surgical site infection and re-admission in obese patients undergoing total joint replacement who lose weight before surgery and keep it off post-operatively. *Bone Joint J*. 2014; 96-B(5):629-635.
- Inacio MC**, Paxton EW, Fisher D, Li RA, Barber TC, Singh JA. Bariatric surgery prior to total joint arthroplasty may not provide dramatic improvements in post-arthroplasty surgical outcomes. *J Arthroplasty*. 2014;29(7):1359-1364.
- Inacio MC**, Dillon MT, **Miric A**, **Anthony F**, **Navarro RA**, **Paxton EW**. Mortality after shoulder arthroplasty. *J Arthroplasty*. 2014;29(9):1823-1826.
- Khatod M**, **Cafri G**, **Namba RS**, **Inacio MC**, **Paxton EW**. Risk factors for total hip arthroplasty aseptic revision. *J Arthroplasty*. 2014;29(7):1412-1417.
- Matsuda DK**. Arthroscopic osteosynthesis of femoral head malunion. *Arthrosc Tech*. 2014;3(1):e31-34.
- Matsuda DK**, Gupta N, Martin HD. Closed intramedullary derotational osteotomy and hip arthroscopy for cam femoroacetabular impingement from femoral retroversion. *Arthrosc Tech*. 2014;3(1):e83-88.
- Matsuda DK**. Arthroscopic labralization of the hip: an alternative to labral reconstruction. *Arthrosc Tech*. 2014;3(1):e131-133.
- Matsuda DK**, Gupta N, Hanami D. Hip arthroscopy for challenging deformities: global pincer femoroacetabular impingement. *Arthrosc Tech*. 2014;3(2):e197-204.
- Matsuda DK**, **Schnieder CP**, **Sehgal B**. The critical corner of cam femoroacetabular impingement: clinical support of an emerging concept. *Arthroscopy*. 2014;30(5):575-580.
- Matsuda DK**, Villamor A. The modified mid-anterior portal for hip arthroscopy. *Arthrosc Tech*. 2014;3(4):e469-474.
- Miric A**, **Inacio MC**, **Namba RS**. Can total knee arthroplasty be safely performed in patients with chronic renal disease? *Acta Orthop*. 2014;85(1):71-78.
- Miric A**, **Inacio MC**, **Namba RS**. The effect of chronic kidney disease on total hip arthroplasty. *J Arthroplasty*. 2014;29(6):1225-1230.
- Miric A**, **Inacio MC**, **Kelly MP**, **Namba RS**. Can total knee arthroplasty be safely performed among nonagenarians? An evaluation of morbidity and mortality within a total joint replacement registry. *J Arthroplasty*. 2014;29(8):1635-1638.
- Namba R**, Graves S, Robertsson O, Furnes O, Stea S, Puig-Verdié L, Hoeffel D, **Cafri G**, **Paxton E**, **Sedrakyan A**. International comparative evaluation of knee replacement with fixed or mobile non-posterior-stabilized implants. *J Bone Joint Surg Am*. 2014;96 Suppl 1:52-58.
- Namba RS**, **Inacio MC**, **Cafri G**. Increased risk of revision for high flexion total knee replacement with thicker tibial liners. *Bone Joint J*. 2014;96-B(2):217-223.
- Page RS, **Navarro RA**, Salomonsson B. Establishing an international shoulder arthroplasty consortium. *J Shoulder Elbow Surg*. 2014;23(8):1081-1082.
- Park MC**, Peterson A, Patton J, McGarry MH, Park CJ, Lee TQ. Biomechanical effects of a 2 suture-pass medial inter-implant mattress on transosseous-equivalent rotator cuff repair and considerations for a "technical efficiency ratio." *J Shoulder Elbow Surg*. 2014;23(3):361-368.
- Park MC**, McGarry MH, Gunzenhauser RC, Benefiel MK, Park CJ, Lee TQ. Does transosseous-equivalent rotator cuff repair biomechanically provide a "self-reinforcement" effect compared with single-row repair? *J Shoulder Elbow Surg*. 2014;23(12):1813-1821.
- Park MJ**, Yao J. Advances in hand and wrist arthroscopy. *Plast Reconstr Surg*. 2014;134(5):758e-765e.
- Pearl ML**, van de Bunt F, **Pearl M**, Lightdale-Miric N, Rethlefsen S, Loiselle J. Assessing shoulder motion in children: age limitations to Mallet and ABC Loops. *Clin Orthop Relat Res*. 2014;472(2):740-748.
- Rath E, Amar E, Doron R, **Matsuda DK**. Hip arthroscopy for synovial chondromatosis: tips and tricks. *Arthrosc Tech*. 2014;3(6):e709-712.
- Richards J**, **Inacio MC**, **Beckett M**, **Navarro RA**, **Singh A**, **Dillon MT**, **Sodl JF**, **Yian EH**. Patient and procedure-specific risk factors for deep infection after primary shoulder arthroplasty. *Clin Orthop Relat Res*. 2014;472(9):2809-2815.
- Sedrakyan A, **Paxton E**, Graves S, **Love R**, Marinac-Dabic D. National and international postmarket research and surveillance implementation: achievements of the international consortium of orthopaedic registries initiative. *J Bone Joint Surg Am*. 2014;96 Suppl 1:1-6.
- Sharpe F**, Barry P, Lin SD, Stevanovic M. Anatomic study of the flexor carpi ulnaris muscle and its application to soft tissue coverage of the elbow with clinical correlation. *J Shoulder Elbow Surg*. 2014;23(1):82-90.
- Singh A**, **Yian EH**, **Dillon MT**, **Takayanagi M**, **Burke MF**, **Navarro RA**. The effect of surgeon and hospital volume on shoulder arthroplasty perioperative quality metrics. *J Shoulder Elbow Surg*. 2014;23(8):1187-1194.
- Stea S, Comfort T, Sedrakyan A, Havelin L, Marinelli M, Barber T, **Paxton E**, Banerjee S, Isaacs AJ, Graves S. Multinational comprehensive evaluation of the fixation method used in hip replacement: interaction with age in context. *J Bone Joint Surg Am*. 2014;96 Suppl 1:42-51.



## Cancer

Alfano CM, Smith T, de Moor JS, Glasgow RE, Khoury MJ, Hawkins NA, Stein KD, Rechis R, Parry C, Leach CR, Padgett L, Rowland JH. An action plan for translating cancer survivorship research into care. *J Natl Cancer Inst.* 2014;106(11).

Avelar T. Reverse pseudohyperkalemia in a patient with chronic lymphocytic leukemia. *Perm J.* 2014;18(4):e150-152.

Bassett JC, Gore JL, Kwan L, Ritch CR, Barocas DA, Penson DF, McCarthy WJ, Saigal CS. Knowledge of the harms of tobacco use among patients with bladder cancer. *Cancer.* 2014;120(24):3914-3922.

Chao C, Page JH, Yang SJ, Rodriguez R, Huynh J, Chia VM. History of chronic comorbidity and risk of chemotherapy-induced febrile neutropenia in cancer patients not receiving G-CSF prophylaxis. *Ann Oncol.* 2014;25(9):1821-1829.

Chen R, Palmer JM, Tsai NC, Thomas SH, Siddiqi T, Popplewell L, Farol L, Nademanee A, Forman SJ. Brentuximab vedotin is associated with improved progression-free survival after allogeneic transplantation for Hodgkin lymphoma. *Biol Blood Marrow Transplant.* 2014;20(11):1864-1868.

Corley DA, Jensen CD, Marks AR, Zhao WK, Lee JK, Doubeni CA, Zuber AG, de Boer J, Fireman BH, Schottinger JE, Quinn VP, Ghai NR, Levin TR, Quesenberry CP. Adenoma detection rate and risk of colorectal cancer and death. *N Engl J Med* 2014.;370(14):1298-1306.

DiFronzo LA. Prolonged preoperative chemotherapy for locally advanced pancreatic adenocarcinoma: curing cancer or simply improving patient selection? *JAMA Surg.* 2014;149(2):154.

Gould MK. Lung cancer screening and elderly adults: do we have sufficient evidence? *Ann Intern Med.* 2014;161(9):672-673.

Gould MK, Wagner TH, Schultz EM, Xu X, Ghaus SJ, Provenzale D, Au DH; Cancer Care Outcomes Research and Surveillance (CanCORS) Consortium. Facility-level analysis of positron emission tomography for staging among U.S. veterans with non-small-cell lung cancer. *Chest.* 2014;145(4):839-847.

Haque R, Prout M, Geiger AM, Kamineni A, Thwin SS, Avila C, Silliman RA, Quinn V, Yood MU. Comorbidities and cardiovascular disease risk in older breast cancer survivors. *Am J Manag Care.* 2014;20(1):86-92.

Haque R, Van Den Eeden SK, Wallner LP, Richert-Boe K, Kallakury B, Wang R, Weinmann S. Association of body mass index and prostate cancer mortality. *Obes Res Clin Pract.* 2014;8(4):e374-381.

Jordan JH, Thwin SS, Lash TL, Buist DS, Field TS, Haque R, Pawloski PA, Petersen HV, Prout MN, Quinn VP, Yood MU, Silliman RA, Geiger AM. Incident comorbidities and all-cause mortality among 5-year survivors of Stage I and II breast cancer diagnosed at age 65 or older: a prospective-matched cohort study. *Breast Cancer Res Treat.* 2014;146(2):401-409.

Kwan K, Chlebowski RT, McTiernan A, Rodabough RJ, La Monte MJ, Martin LW, Bell C, Lane DS, Kaplan RC, Irwin ML. Walking speed, physical activity, and breast cancer in postmenopausal women. *Eur J Cancer Prev.* 2014;23(1):49-52.

Lash TL, Thwin SS, Yood MU, Geiger AM, Bosco J, Quinn VP, Field TS, Pawloski PA, Silliman RA. Comprehensive evaluation of the incidence of late effects in 5-year survivors of breast cancer. *Breast Cancer Res Treat.* 2014;144(3):643-663.

Lee LS, Wu BU, Banks PA, Kadiyala V, Mehta S, Saltzman JR, Thompson CC, Bellizzi AM. Utility of commercial DNA analysis in detecting malignancy within pancreatic cysts. *JOP.* 2014;15(2):182-188.

Lentz SE, Tierney KE, Weaver FA, Roman LD. Abdominal aortic resection and Y-graft placement to achieve complete cytoreduction in stage IIIc ovarian carcinoma. *Obstet Gynecol.* 2014;123(2 Pt 2 Suppl 2):486-488.

Loh JC, Cassarino DS, Grody WW, Chiu MW, Pinter-Brown LC. A case of mycosis fungoides transmitted from donor to recipient, and review of literature of T-cell malignancies after transplantation. *Clin Lymphoma Myeloma Leuk.* 2014;14(4):e137-140.

Mehta HJ, Ravenel JG, Shaftman SR, Tanner NT, Paoletti L, Taylor KK, Tammemagi MC, Gomez M, Nietert PJ, Gould MK, Silvestri GA. The utility of nodule volume in the context of malignancy prediction for small pulmonary nodules. *Chest.* 2014;145(3):464-472.

Melikian GL, Rhee SY, Varghese V, Porter D, White K, Taylor J, Towner W, Troia P, Burack J, Dejesus E, Robbins GK, Razzeca K, Kagan R, Liu TF, Fessel WJ, Israelski D, Shafer RW. Non-nucleoside reverse transcriptase inhibitor (NNRTI) cross-resistance: implications for preclinical evaluation of novel NNRTIs and clinical genotypic resistance testing. *J Antimicrob Chemother.* 2014;69(1):12-20.

Nyante SJ, Gierach GL, Dallal CM, Freedman ND, Park Y, Danforth KN, Hollenbeck AR, Brinton LA. Cigarette smoking and postmenopausal breast cancer risk in a prospective cohort. *Br J Cancer.* 2014;110(9):2339-2347.

Panageas KS, Reiner AS, Iwamoto FM, Cloughesy TF, Aldape KD, Rivera AL, Eichler AF, Louis DN, Paleologos NA, Fisher BJ, Ashby LS, Cairncross JG, Roldán Urgoiti GB, Wen PY, Ligon KL, Schiff D, Robins HI, Rocque BG, Chamberlain MC, Mason WP, Weaver SA, **Green RM**, Kamar FG, Abrey LE, DeAngelis LM, Jhanwar SC, Rosenblum MK, Lassman AB. Recursive partitioning analysis of prognostic variables in newly diagnosed anaplastic oligodendroglial tumors. *Neuro Oncol*. 2014;16(11):1541-1546.

Piccioni DE, Selfridge J, Mody RR, Chowdhury R, Li S, Lalezari S, Wawrzynski J, **Quan J**, Zurayk M, Chou AP, Sanchez DE, Liao LM, Ellingson BM, Pope WB, Nghiemphu PL, **Green RM**, Wang HJ, Yong WH, Elashoff R, Cloughesy TF, Lai A. Deferred use of bevacizumab for recurrent glioblastoma is not associated with diminished efficacy. *Neuro Oncol*. 2014;16(6):815-822.

Porter KR, Chao C, Quinn VP, Hsu JW, Jacobsen SJ. Variability in date of prostate cancer diagnosis: a comparison of cancer registry, pathology report, and electronic health data sources. *Ann Epidemiol*. 2014;24(11):855-860.

Potosky AL, **Haque R**, Cassidy-Bushrow AE, Ulcickas Yood M, Jiang M, Tsai HT, Luta G, Keating NL, Smith MR, Van Den Eeden SK. Effectiveness of primary androgen-deprivation therapy for clinically localized prostate cancer. *J Clin Oncol*. 2014;32(13):1324-1330.

Ryoo JJ, Malin JL, Ordin DL, Oishi SM, Kim B, Asch SM, He R, **Gould MK**. Facility characteristics and quality of lung cancer care in an integrated health care system. *J Thorac Oncol*. 2014;9(4):447-455.

Shafizadeh N, Genrich G, Ferrell L, Kakar S. Hepatocellular adenomas in a large community population, 2000 to 2010: reclassification per current World Health Organization classification and results of long-term follow-up. *Hum Pathol*. 2014;45(5):976-983.

Soper MS, Iganej S, Thompson LD. Definitive treatment of androgen receptor-positive salivary duct carcinoma with androgen deprivation therapy and external beam radiotherapy. *Head Neck*. 2014;36(1):E4-7.

Soper MS, Hastings JR, Cosmatos HA, Slezak JM, Wang R, Lodin K. Observation versus adjuvant radiation or chemotherapy in the management of stage I seminoma: clinical outcomes and prognostic factors for relapse in a large US cohort. *Am J Clin Oncol*. 2014;37(4):356-359.

Spencer C, Petrovic I, **Fatemi S**, LoPresti J. Serum thyroglobulin (Tg) monitoring of patients with differentiated thyroid cancer (DTC) using sensitive (second-generation) immunometric assays (Tg(2G) IMA) can be disrupted by false-negative and false-positive serum thyroglobulin autoantibody (TgAb) misclassifications. *J Clin Endocrinol Metab*. 2014;99(12):4589-4599.

Spencer C, LoPresti J, **Fatemi S**. How sensitive (second-generation) thyroglobulin measurement is changing paradigms for monitoring patients with differentiated thyroid cancer, in the absence or presence of thyroglobulin autoantibodies. *Curr Opin Endocrinol Diabetes Obes*. 2014;21(5):394-404.

Tran AH, Ngor EW, Wu BU. Surveillance colonoscopy in elderly patients: a retrospective cohort study. *JAMA Intern Med*. 2014;174(10):1675-1682.

Wu BU, Longstreth GF, Ngor EW. Screening colonoscopy versus sigmoidoscopy: implications of a negative examination for cancer prevention and racial disparities in average-risk patients. *Gastrointest Endosc*. 2014;80(5):852-861.

## Cardiovascular Disease

Bazzano LA, Hu T, **Reynolds K**, Yao L, Bunol C, Liu Y, Chen CS, Klag MJ, Whelton PK, He J. Effects of low-carbohydrate and low-fat diets: a randomized trial. *Ann Intern Med*. 2014;161(5):309-318.

Chun LJ, Tsai J, Tam M, Prema J, Chen LH, Patel KK. Screening carotid artery duplex in patients undergoing cardiac surgery. *Ann Vasc Surg*. 2014;28(5):1178-1185.

Diaz KM, Tanner RM, Falzon L, Levitan EB, **Reynolds K**, Shimbo D, Muntner P. Visit-to-visit variability of blood pressure and cardiovascular disease and all-cause mortality: a systematic review and meta-analysis. *Hypertension*. 2014;64(5):965-982.

Elperin DT, Pelter MA, Deamer RL, Burchette RJ. A large cohort study evaluating risk factors associated with uncontrolled hypertension. *J Clin Hypertens (Greenwich)*. 2014;16(2):149-154.

Hye RJ, Smith AE, Wong GH, Vansomphone SS, Scott RD, Kanter MH. Leveraging the electronic medical record to implement an abdominal aortic aneurysm screening program. *J Vasc Surg*. 2014;59(6):1535-1542.

Hye RJ, Peden EK, O'Connor TP, Browne BJ, Dixon BS, Schanzer AS, Jensik SC, Dember LM, Jaff MR, Burke SK. Human type I pancreatic elastase treatment of arteriovenous fistulas in patients with chronic kidney disease. *J Vasc Surg*. 2014;60(2):454-461.e1.

Moser M, Handler J. "Hold the catheters" – renal denervation may not be the answer to the management of resistant or hard-to-treat hypertension. *J Am Soc Hypertens*. 2014;8(10):758-759.

Nageh MF, Kim JJ, Chen LH, Yao JF. Implantable defibrillators for secondary prevention of sudden cardiac death in cardiac surgery patients with perioperative ventricular arrhythmias. *J Am Heart Assoc*. 2014;3(4).

Sangha N, Albright KC, Peng H, Vahidy F, Boehme A, Chen Z, Savitz SI. Misdiagnosis of cerebellar infarctions. *Can J Neurol Sci*. 2014;41(5):568-571.

Shaw KM, Handler J, Wall HK, Kanter MH. Improving blood pressure control in a large multiethnic California population through changes in health care delivery, 2004-2012. *Prev Chronic Dis*. 2014;11:E191.

Sim JJ, Shi J, Kovesdy CP, Kalantar-Zadeh K, Jacobsen SJ. Impact of achieved blood pressures on mortality risk and end-stage renal disease among a large, diverse hypertension population. *J Am Coll Cardiol*. 2014;64(6):588-597.

Sim JJ, Shi J, Al-Moomen R, Behayaa H, Kalantar-Zadeh K, Jacobsen SJ. Plasma renin activity and its association with ischemic heart disease, congestive heart failure, and cerebrovascular disease in a large hypertensive cohort. *J Clin Hypertens (Greenwich)*. 2014;16(11):805-813.

Sim JJ, Handler J, Jacobsen SJ, Kanter MH. Systemic implementation strategies to improve hypertension: the Kaiser Permanente Southern California experience. *Can J Cardiol*. 2014;30(5):544-552.

Young DR, Coleman KJ, Ngor E, Reynolds K, Sidell M, Sallis RE. Associations between physical activity and cardiometabolic risk factors assessed in a Southern California health care system, 2010-2012. *Prev Chronic Dis*. 2014;11:E219.

Young DR, Reynolds K, Sidell M, Brar S, Ghai NR, Sternfeld B, Jacobsen SJ, Slezak JM, Caan B, Quinn VP. Effects of physical activity and sedentary time on the risk of heart failure. *Circ Heart Fail*. 2014;7(1):21-27.



## Child and Adolescent Health

Mailloux Z, Leão M, Becerra TA, Mori AB, Soechting E, Roley SS, Buss N, Cermak SA. Modification of the postrotary nystagmus test for evaluating young children. *Am J Occup Ther*. 2014;68(5):514-521.

McLeod JD. Juvenile fibromyalgia syndrome and improved recognition by pediatric primary care providers. *J Pediatr Health Care*. 2014;28(2):e9-18.

Young D, Saksvig BI, Wu TT, Zook K, Li X, Champaloux S, Grieser M, Lee S, Treuth MS. Multilevel correlates of physical activity for early, mid, and late adolescent girls. *J Phys Act Health*. 2014;11(5):950-960.

Zook KR, Saksvig BI, Wu TT, Young DR. Physical activity trajectories and multilevel factors among adolescent girls. *J Adolesc Health*. 2014;54(1):74-80.



## Clinical Guidelines

Conwell DL, Lee LS, Yadav D, Longnecker DS, Miller FH, Morteale KJ, Levy MJ, Kwon R, Lieb JG, Stevens T, Toskes PP, Gardner TB, Gelrud A, Wu BU, Forsmark CE, Vege SS. American Pancreatic Association practice guidelines in chronic pancreatitis: evidence-based report on diagnostic guidelines. *Pancreas*. 2014;43(8):1143-1162.

Earls JP, Woodard PK, Abbara S, Akers SR, Araoz PA, Cummings K, Cury RC, Dorbala S, Hoffmann U, Hsu JY, Jacobs JE, Min JK. ACR appropriateness criteria asymptomatic patient at risk for coronary artery disease. *J Am Coll Radiol*. 2014;11(1):12-19.

Fitzgibbons PL, Dillon DA, Alsabeh R, Berman MA, Hayes DF, Hicks DG, Hughes KS, Nofech-Mozes S. Template for reporting results of biomarker testing of specimens from patients with carcinoma of the breast. *Arch Pathol Lab Med*. 2014;138(5):595-601.

Fitzgibbons PL, Bradley LA, Fatheree LA, Alsabeh R, Fulton RS, Goldsmith JD, Haas TS, Karabakhtsian RG, Loykasek PA, Marolt MJ, Shen SS, Smith AT, Swanson PE; College of American Pathologists Pathology and Laboratory Quality Center. Principles of analytic validation of immunohistochemical assays: guideline from the College of American Pathologists Pathology and Laboratory Quality Center. *Arch Pathol Lab Med*. 2014;138(11):1432-1443.

Gould MK. Clinical practice. Lung-cancer screening with low-dose computed tomography. *N Engl J Med*. 2014;371(19):1813-1820.

James PA, Oparil S, Carter BL, Cushman WC, Dennison-Himmelfarb C, Handler J, Lackland DT, LeFevre ML, MacKenzie TD, Ogedegbe O, Smith SC, Svetkey LP, Taler SJ, Townsend RR, Wright JT, Narva AS, Ortiz E. 2014 evidence-based guideline for the management of high blood pressure in adults: report from the panel members appointed to the Eighth Joint National Committee (JNC 8). *JAMA*. 2014;311(5):507-520.

Kahn JM, Gould MK, Krishnan JA, Wilson KC, Au DH, Cooke CR, Douglas IS, Feemster LC, Mularski RA, Slatore CG, Wiener RS; ATS Ad Hoc Committee on the Development of Performance Measures from ATS Guidelines. An official American Thoracic Society workshop report: developing performance measures from clinical practice guidelines. *Ann Am Thorac Soc*. 2014;11(4):S186-195.

Schwartz EN, Su J. Plantar fasciitis: a concise review. *Perm J*. 2014;18(1):e105-107.

Wiener RS, Gould MK, Slatore CG, Fincke BG, Schwartz LM, Woloshin S. Resource use and guideline concordance in evaluation of pulmonary nodules for cancer: too much and too little care. *JAMA Intern Med*. 2014;174(6):871-880.

Wilson KC, Gould MK. Choosing Wisely® in pulmonary medicine. *Am J Respir Crit Care Med*. 2014;189(12):1451-1452.



## Comparative Effectiveness

Ahmed KA, Davis BJ, Mynderse LA, **Slezak JM**, Bergstralh EJ, Wilson TM, Choo CR. Comparison of biochemical failure rates between permanent prostate brachytherapy and radical retropubic prostatectomy as a function of posttherapy PSA nadir plus 'X'. *Radiat Oncol*. 2014;9:171.

Cohen C, Wohl D, Arribas JR, Henry K, Van Lunzen J, Bloch M, **Towner W**, Wilkins E, Ebrahimi R, Porter D, White K, Walker I, Chuck S, De-Oertel S, Fralich T. Week 48 results from a randomized clinical trial of rilpivirine/emtricitabine/tenofovir disoproxil fumarate vs. efavirenz/emtricitabine/tenofovir disoproxil fumarate in treatment-naive HIV-1-infected adults. *AIDS*. 2014;28(7):989-997.

Fowler RA, Mittmann N, Geerts W, Heels-Ansdell D, **Gould MK**, Guyatt G, Krahn M, Finfer S, Pinto R, Chan B, Ormanidhi O, Arabi Y, Qushmaq I, Rocha MG, Dodek P, McIntyre L, Hall R, Ferguson ND, Mehta S, Marshall JC, Doig CJ, Muscedere J, Jacka MJ, Klinger JR, Vlahakis N, Orford N, Seppelt I, Skrobik YK, Sud S, Cade JF, Cooper J, Cook D; Canadian Critical Care Trials Group; Australia and New Zealand Intensive Care Society Clinical Trials Group. Cost-effectiveness of dalteparin vs unfractionated heparin for the prevention of venous thromboembolism in critically ill patients. *JAMA*. 2014;312(20):2135-2145.

**Franken C**, Lau B, Putschakayala K, DiFronzo LA. Comparison of short-term outcomes in laparoscopic vs open hepatectomy. *JAMA Surg*. 2014;149(9):941-946.

Furnes O, **Paxton E**, **Cafri G**, Graves S, Bordini B, Comfort T, Rivas MC, Banerjee S, Sedrakyan A. Distributed analysis of hip implants using six national and regional registries: comparing metal-on-metal with metal-on-highly cross-linked polyethylene bearings in cementless total hip arthroplasty in young patients. *J Bone Joint Surg Am*. 2014;96 Suppl 1:25-33.

**Gaddi A**, **Guaderrama N**, **Bassiouni N**, **Bebchuk J**, **Whitcomb EL**. Repeat midurethral sling compared with urethral bulking for recurrent stress urinary incontinence. *Obstet Gynecol*. 2014;123(6):1207-1212.

**Galyean A**, Garite TJ, Maurel K, Abril D, Adair CD, Browne P, Combs CA, How H, Iriye BK, Kominiares M, Lu G, Luthy D, Miller H, **Nageotte M**, Ozcan T, Porto M, Ramirez M, Sawai S, Sorokin Y; Obstetrix Perinatal Collaborative Research Network. Removal versus retention of cerclage in preterm premature rupture of membranes: A randomized controlled trial. *Am J Obstet Gynecol*. 2014;211(4):399.e1-7.

Graves S, Sedrakyan A, Baste V, Gioe TJ, **Namba R**, Martínez Cruz O, Stea S, **Paxton E**, Banerjee S, Isaacs AJ, Robertsson O. International comparative evaluation of knee replacement with fixed or mobile-bearing posterior-stabilized prostheses. *J Bone Joint Surg Am*. 2014;96 Suppl 1:59-64.

Han J, Girvigian MR, Chen JC, Miller MJ, Lodin K, Rahimian J, Arellano A, Cahan BL, **Kaptein JS**. A comparative study of stereotactic radiosurgery, hypofractionated, and fractionated stereotactic radiotherapy in the treatment of skull base meningioma. *Am J Clin Oncol*. 2014;37(3):255-260.

**Kagan AR**, Yeh J, Schulz RJ. Is proton-beam therapy better than intensity-modulated radiation therapy for prostate cancer? *Am J Clin Oncol*. 2014;37(6):525-527.

**Paxton E**, **Cafri G**, Havelin L, Stea S, Pallisó F, Graves S, Hoeffel D, Sedrakyan A. Risk of revision following total hip arthroplasty: metal-on-conventional polyethylene compared with metal-on-highly cross-linked polyethylene bearing surfaces: international results from six registries. *J Bone Joint Surg Am*. 2014;96 Suppl 1:19-24.

Sedrakyan A, Graves S, Bordini B, Pons M, Havelin L, Mehle S, **Paxton E**, Barber T, **Cafri G**. Comparative effectiveness of ceramic-on-ceramic implants in stemmed hip replacement: a multinational study of six national and regional registries. *J Bone Joint Surg Am*. 2014;96 Suppl 1:34-41.

Shahawy S, **Janisiewicz AM**, Annino D, Shapiro J. A comparative study of outcomes for endoscopic diverticulotomy versus external diverticulectomy. *Otolaryngol Head Neck Surg*. 2014;151(4):646-651.

**Tam MS**, Abbass M, Abbas MA. Robotic-laparoscopic rectal cancer excision versus traditional laparoscopy. *JSLs*. 2014;18(3).

**Tan-Kim J**, **Menefee SA**, **Lippmann Q**, Lukacz ES, **Luber KM**, Nager CW. A pilot study comparing anatomic failure after sacrocolpopexy with absorbable or permanent sutures for vaginal mesh attachment. *Perm J*. 2014;18(4):40-44.



## Critical Care

Knox DB, Lanspa MJ, Pratt CM, Kuttler KG, **Jones JP**, Brown SM. Glasgow Coma Scale score dominates the association between admission Sequential Organ Failure Assessment score and 30-day mortality in a mixed intensive care unit population. *J Crit Care*. 2014;29(5):780-785.

**Razi RR**, Churpek MM, Yuen TC, Peek ME, Fisher T, Edelson DP; American Heart Association's Get With The Guidelines-Resuscitation Investigators. Racial disparities in outcomes following PEA and asystole in-hospital cardiac arrests. *Resuscitation*. 2014;87C:69-74.



## Dermatology

**Aquino LL, Wen G, Wu JJ.** US dermatology residency program rankings. *Cutis*. 2014;94(4):189-194.

**Chang LM, Cassarino DS.** p16 expression is lost in severely atypical cellular blue nevi and melanoma compared to conventional, mildly, and moderately atypical cellular blue nevi. *ISRN Dermatol*. 2014;2014:348417.

**Chang LM, Reyes M.** A case of harlequin ichthyosis treated with isotretinoin. *Dermatol Online J*. 2014;20(2).

**Choi YM, Namavar AA, Wu JJ.** Most common dermatologic topics published in five high-impact general medical journals, 1970-2012: melanoma, psoriasis, herpes simplex, herpes zoster, and acne. *Perm J*. 2014;18(4):29-31.

**Choi YM, Nakatomi D, Wu JJ.** Citation classics and top-cited authors of psoriasis in five high-impact general medical journals, 1970-2012. *Dermatol Online J*. 2014;20(5):22646.

**Famenini S, Cassarino DS.** Dermatofibroma-associated dystrophic calcification. *J Cutan Pathol*. 2014;41(1):68-70.

**Famenini S, Sako EY, Wu JJ.** Effect of treating psoriasis on cardiovascular co-morbidities: focus on TNF inhibitors. *Am J Clin Dermatol*. 2014;15(1):45-50.

**Grabell D, Hsieh C, Andrew R, Martires K, Kim A, Vasquez R, Jacobe H.** The role of skin trauma in the distribution of morphea lesions: a cross-sectional survey of the Morphea in Adults and Children cohort IV. *J Am Acad Dermatol*. 2014;71(3):493-498.

**Gupta R, Levin E, Wu JJ, Koo J, Liao W.** An update on drug-drug interactions with biologics for the treatment of moderate-to-severe psoriasis. *J Dermatolog Treat*. 2014;25(1):87-89.

**Klapman MH, Sosa VB, Yao JF.** A common factor suppresses thickening in young women with malar area port wine stains and delays low density lipoprotein elevation: is it estrogen? *Med Hypotheses*. 2014;82(6):688-690.

**Lin SK, Guralnick MP, Cassarino DS.** Elusive diagnosis of left ear nodules. *JAMA Dermatol*. 2014;150(1):81-82.

**Nguyen T, Wu JJ.** Relationship between tumor necrosis factor- $\alpha$  inhibitors and cardiovascular disease in psoriasis: a review. *Perm J*. 2014;18(1):49-54.

**Sako EY, Famenini S, Wu JJ.** Bariatric surgery and psoriasis. *J Am Acad Dermatol*. 2014;70(4):774-779.

**Wu JJ, Poon KY.** Tumor necrosis factor inhibitor therapy and myocardial infarction risk in patients with psoriasis, psoriatic arthritis, or both. *J Drugs Dermatol*. 2014;13(8):932-934.

**Wu JJ, Choi YM, Marczynski W.** The 100 most cited psoriasis articles in clinical dermatologic journals, 1970 to 2012. *J Clin Aesthet Dermatol*. 2014;7(10):10-19.

**Yang A, Klapman M, Cassarino DS.** Spontaneously regressing primary nodular melanoma of the glans penis. *Cutis*. 2014;94(4):E9-E11.



## Diabetes

**Badaru A, Klingensmith GJ, Dabelea D, Mayer-Davis EJ, Dolan L, Lawrence JM, Marcovina S, Beavers D, Rodriguez BL, Imperatore G, Pihoker C.** Correlates of treatment patterns among youth with type 2 diabetes. *Diabetes Care*. 2014;37(1):64-72.

**Dabelea D, Mayer-Davis EJ, Saydah S, Imperatore G, Linder B, Divers J, Bell R, Badaru A, Talton JW, Crume T, Liese AD, Merchant AT, Lawrence JM, Reynolds K, Dolan L, Liu LL, Hamman RF; SEARCH for Diabetes in Youth Study.** Prevalence of type 1 and type 2 diabetes among children and adolescents from 2001 to 2009. *JAMA*. 2014;311(17):1778-1786.

**Dabelea D, Rewers A, Stafford JM, Standiford DA, Lawrence JM, Saydah S, Imperatore G, D'Agostino RB, Mayer-Davis EJ, Pihoker C; SEARCH for Diabetes in Youth Study Group.** Trends in the prevalence of ketoacidosis at diabetes diagnosis: the SEARCH for diabetes in youth study. *Pediatrics*. 2014;133(4):e938-945.

**Goodarzi MO, Langefeld CD, Xiang AH, Chen YD, Guo X, Hanley AJ, Raffel LJ, Kandeel F, Nadler JL, Buchanan TA, Norris JM, Fingerlin TE, Lorenzo C, Rewers MJ, Haffner SM, Bowden DW, Rich SS, Bergman RN, Rotter JI, Watanabe RM, Wagenknecht LE.** Insulin sensitivity and insulin clearance are heritable and have strong genetic correlation in Mexican Americans. *Obesity (Silver Spring)*. 2014;22(4):1157-1164.

**Hamman RF, Bell RA, Dabelea D, D'Agostino RB, Dolan L, Imperatore G, Lawrence JM, Linder B, Marcovina SM, Mayer-Davis EJ, Pihoker C, Rodriguez BL, Saydah S; SEARCH for Diabetes in Youth Study Group.** The SEARCH for Diabetes in Youth study: rationale, findings, and future directions. *Diabetes Care*. 2014;37(12):3336-3344.

**Hood KK, Beavers DP, Yi-Frazier J, Bell R, Dabelea D, McKeown RE, Lawrence JM.** Psychosocial burden and glycemic control during the first 6 years of diabetes: results from the SEARCH for Diabetes in Youth study. *J Adolesc Health*. 2014;55(4):498-504.

Jaacks LM, Bell RA, Dabelea D, D'Agostino RB, Dolan LM, Imperatore G, Klingensmith G, **Lawrence JM**, Saydah S, Yi-Frazier J, Mayer-Davis EJ; SEARCH for Diabetes in Youth Study Group. Diabetes self-management education patterns in a US population-based cohort of youth with type 1 diabetes. *Diabetes Educ.* 2014;40(1):29-39.

Jaacks LM, Crandell J, Liese AD, Lamichhane AP, Bell RA, Dabelea D, D'Agostino RB, Dolan LM, Marcovina S, **Reynolds K**, Shah AS, Urbina EM, Wadwa RP, Mayer-Davis EJ. No association of dietary fiber intake with inflammation or arterial stiffness in youth with type 1 diabetes. *J Diabetes Complicat.* 2014;28(3):305-310.

**Jacobsen JJ, Black MH, Li BH, Reynolds K, Lawrence JM.** Race/ethnicity and measures of glycaemia in the year after diagnosis among youth with type 1 and type 2 diabetes mellitus. *J Diabetes Complicat.* 2014;28(3):279-285.

Lamichhane AP, Liese AD, Urbina EM, Crandell JL, Jaacks LM, Dabelea D, **Black MH**, Merchant AT, Mayer-Davis EJ. Associations of dietary intake patterns identified using reduced rank regression with markers of arterial stiffness among youth with type 1 diabetes. *Eur J Clin Nutr.* 2014;68(12):1327-1333.

**Lawrence JM**, Imperatore G, Dabelea D, Mayer-Davis EJ, Linder B, Saydah S, Klingensmith GJ, Dolan L, Standiford DA, Pihoker C, Pettitt DJ, Talton JW, Thomas J, Bell RA, D'Agostino RB; SEARCH for Diabetes in Youth Study Group. Trends in incidence of type 1 diabetes among non-Hispanic white youth in the United States, 2002-2009. *Diabetes.* 2014;63(11):3938-3945.

Naughton MJ, Yi-Frazier JP, Morgan TM, Seid M, **Lawrence JM**, Klingensmith GJ, Waitzfelder B, Standiford DA, Loots B; SEARCH for Diabetes in Youth Study Group. Longitudinal associations between sex, diabetes self-care, and health-related quality of life among youth with type 1 or type 2 diabetes mellitus. *J Pediatr.* 2014;164(6):1376-1383.e1.

Pettitt DJ, Talton J, Dabelea D, Divers J, Imperatore G, **Lawrence JM**, Liese AD, Linder B, Mayer-Davis EJ, Pihoker C, Saydah SH, Standiford DA, Hamman RF; SEARCH for Diabetes in Youth Study Group. Prevalence of diabetes mellitus in US youth in 2009: the SEARCH for Diabetes in Youth Study. *Diabetes Care.* 2014;37(2):402-408.

Raebel MA, Ellis JL, Schroeder EB, Xu S, O'Connor PJ, Segal JB, Butler MG, Schmittiel JA, Kirchner HL, Goodrich GK, **Lawrence JM**, Nichols GA, Newton KM, Pathak RD, Steiner JF. Intensification of antihyperglycemic therapy among patients with incident diabetes: a Surveillance Prevention and Management of Diabetes Mellitus (SUPREME-DM) study. *Pharmacoepidemiol Drug Saf.* 2014;23(7):699-710.

**Ryan DS, Coleman KJ, Lawrence JM, Harrison TN, Reynolds K.** Optimal management of diabetes among overweight and obese adults. *Am J Manag Care.* 2014;20(1):e1-7.

Schmittiel JA, Steiner JF, Adams AS, Dyer W, Beals J, Henderson WG, Desai J, Morales LS, Nichols GA, **Lawrence JM**, Waitzfelder B, Butler MG, Pathak RD, Hamman RF, Manson SM. Diabetes care and outcomes for American Indians and Alaska natives in commercial integrated delivery systems: a SURveillance, PREvention, and ManagEment of Diabetes Mellitus (SUPREME-DM) Study. *BMJ Open Diabetes Res Care.* 2014;2(1):e000043.

Schmittiel JA, Raebel MA, Dyer W, Xu S, Goodrich GK, Schroeder EB, Segal JB, O'Connor PJ, Nichols GA, **Lawrence JM**, Kirchner HL, Karter AJ, Lafata JE, Butler MG, Steiner JF. Prescription medication burden in patients with newly diagnosed diabetes: a SURveillance, PREvention, and ManagEment of Diabetes Mellitus (SUPREME-DM) study. *J Am Pharm Assoc (2003).* 2014;54(4):374-382.

Valenzuela JM, Smith LB, Stafford JM, D'Agostino RB, **Lawrence JM**, Yi-Frazier JP, Seid M, Dolan LM. Shared decision-making among caregivers and health care providers of youth with type 1 diabetes. *J Clin Psychol Med Settings.* 2014;21(3):234-243.

Valenzuela JM, Seid M, Waitzfelder B, Anderson AM, Beavers DP, Dabelea DM, Dolan LM, Imperatore G, Marcovina S, **Reynolds K**, Yi-Frazier J, Mayer-Davis EJ; SEARCH for Diabetes in Youth Study Group. Prevalence of and disparities in barriers to care experienced by youth with type 1 diabetes. *J Pediatr.* 2014;164(6):1369-1375.e1.

**Xiang AH**, Watanabe RM, Buchanan TA. HOMA and Matsuda indices of insulin sensitivity: poor correlation with minimal model-based estimates of insulin sensitivity in longitudinal settings. *Diabetologia.* 2014;57(2):334-338.

Yavuz M, Brem RW, Davis BL, Patel J, Osbourne A, Matassini MR, Wood DA, **Nwokolo IO.** Temperature as a predictive tool for plantar triaxial loading. *J Biomech.* 2014;47(15):3767-3770.

## Digestive System Disorders

**Chen AI, Lim BS, Ma JS, Chaya CT.** Over-the-scope clip for closure of persistent post-esophagectomy gastric conduit fistula. *Gastrointest Endosc.* 2014;79(4):546.

De-Madaria E, Banks PA, Moya-Hoyo N, **Wu BU**, Rey-Riveiro M, Acevedo-Piedra NG, Martínez J, Lluís F, Sánchez-Payá J, Singh VK. Early factors associated with fluid sequestration and outcomes of patients with acute pancreatitis. *Clin Gastroenterol Hepatol.* 2014;12(6):997-1002.

Iyer R, Longstreth GF, Chu LH, Chen W, Yen L, Hodgkins P, Kawatkar AA. Acute colonic diverticulitis: diagnostic evidence, demographic and clinical features in three practice settings. *J Gastrointest Liver Dis*. 2014;23(4):379-386.

Kao KT, Batra B. Single-balloon-assisted ERCP with electrohydraulic lithotripsy for the treatment of a bile duct stone in a patient with a hepaticojejunostomy. *Gastrointest Endosc*. 2014;80(6):1173.

Wu BU, Sampath K, Berberian CE, Kwok KK, Lim BS, Kao KT, Giap AQ, Kosco AE, Akmal YM, DiFronzo AL, Yu W, Ngor EW. Prediction of malignancy in cystic neoplasms of the pancreas: a population-based cohort study. *Am J Gastroenterol*. 2014;109(1):121-129; quiz 130.



### Emergency Care

Bastani A, Young E, Shaqiri B, Walch R, Manthana P, Weimer S, Kayyali H. Screening electroencephalograms are feasible in the emergency department. *J Telemed Telecare*. 2014;20(5):259-262.

Kocher KE, Haggins AN, Sabbatini AK, Sauser K, Sharp AL. Emergency department hospitalization volume and mortality in the United States. *Ann Emerg Med*. 2014;64(5):446-457.e6.

McDonald LS, Shupe PG, Raiszadeh K, Singh A. Misdiagnosed pneumothorax interpreted as necrotizing fasciitis of the chest wall: case report of a potentially preventable death. *Patient Saf Surg*. 2014;8:20.

Sharp AL, Chang T, Cobb E, Gossa W, Rowe Z, Kohatsu L, Heisler M. Exploring real-time patient decision-making for acute care: a pilot study. *West J Emerg Med*. 2014;15(6):675-681.



### Gestational Diabetes

Chen Z, Watanabe RM, Stram DO, Buchanan TA, Xiang AH. High calorie intake is associated with worsening insulin resistance and  $\beta$ -cell function in Hispanic women after gestational diabetes mellitus. *Diabetes Care*. 2014;37(12):3294-3300.

Page KA, Romero A, Buchanan TA, Xiang AH. Gestational diabetes mellitus, maternal obesity, and adiposity in offspring. *J Pediatr*. 2014;164(4):807-810.

Ren J, Xiang AH, Trigo E, Takayanagi M, Beale E, Lawrence JM, Hartiala J, Richey JM, Allayee H, Buchanan TA, Watanabe RM. Genetic variation in MTNR1B is associated with gestational diabetes mellitus and contributes only to the absolute level of beta cell compensation in Mexican Americans. *Diabetologia*. 2014;57(7):1391-1399.



### Head and Neck

Battaglia A, Lualhati A, Lin H, Burchette R, Cueva R. A prospective, multi-centered study of the treatment of idiopathic sudden sensorineural hearing loss with combination therapy versus high-dose prednisone alone: a 139 patient follow-up. *Otol Neurotol*. 2014;35(6):1091-1098.

Griffith CC, Thompson LD, Assaad A, Purgina BM, Lai C, Bauman JE, Weinreb I, Seethala RR, Chiosea SI. Salivary duct carcinoma and the concept of early carcinoma ex pleomorphic adenoma. *Histopathology*. 2014;65(6):854-860.

Hu J, Fleck TR, Xu J, Hsu JV, Xu HX. Contemporary changes with the use of facial nerve monitoring in chronic ear surgery. *Otolaryngol Head Neck Surg*. 2014;151(3):473-477.

Hunt JL, Barnes L, Lewis JS, Mahfouz ME, Slootweg PJ, Thompson LD, Cardesa A, Devaney KO, Gnepp DR, Westra WH, Rodrigo JP, Woolgar JA, Rinaldo A, Triantafyllou A, Takes RP, Ferlito A. Molecular diagnostic alterations in squamous cell carcinoma of the head and neck and potential diagnostic applications. *Eur Arch Otorhinolaryngol*. 2014;271(2):211-223.

Lee JT, Escobar OH, Anouseyan R, Janisiewicz A, Eivers E, Blackwell KE, Keschner DB, Garg R, Porter E. Assessment of epithelial innate antimicrobial factors in sinus tissue from patients with and without chronic rhinosinusitis. *Int Forum Allergy Rhinol*. 2014;4(11):893-900.

Lee JT, Chiu AG. Topical anti-infective sinonasal irrigations: update and literature review. *Am J Rhinol Allergy*. 2014;28(1):29-38.

Lee JT, Kingdom TT, Smith TL, Setzen M, Brown S, Batra PS. Practice patterns in endoscopic skull base surgery: survey of the American Rhinologic Society. *Int Forum Allergy Rhinol*. 2014;4(2):124-131.

Lewis JS, Westra WH, Thompson LD, Barnes L, Cardesa A, Hunt JL, Williams MD, Slootweg PJ, Triantafyllou A, Woolgar JA, Devaney KO, Rinaldo A, Ferlito A. The sinonasal tract: another potential "hot spot" for carcinomas with transcriptionally-active human papillomavirus. *Head Neck Pathol*. 2014;8(3):241-249.

Miller ME, Mafee MF, Bykowski J, Alexander TH, Burchette RJ, Mastrodimos B, Cueva RA. Hearing preservation and vestibular schwannoma: intracochlear FLAIR signal relates to hearing level. *Otol Neurotol*. 2014;35(2):348-352.

Nelson BL, Thompson LD. Ameloblastic fibro-odontoma. *Head Neck Pathol*. 2014;8(2):168-170.

Nudell J, Chiosea S, Thompson LD. Carcinoma ex-Schneiderian papilloma (malignant transformation): a clinicopathologic and immunophenotypic study of 20 cases combined with a comprehensive review of the literature. *Head Neck Pathol*. 2014;8(3):269-286.

Shiffer JD, Thompson LD. Merkel cell carcinoma. *Ear Nose Throat J*. 2014;93(3):100-102.

Thompson LD. Polymorphous low-grade adenocarcinoma. *Ear Nose Throat J*. 2014;93(1):24-25.

Thompson LD, Penner C, Ho NJ, Foss RD, Miettinen M, Wieneke JA, Moskaluk CA, Stelow EB. Sinonasal tract and nasopharyngeal adenoid cystic carcinoma: a clinicopathologic and immunophenotypic study of 86 cases. *Head Neck Pathol*. 2014;8(1):88-109.

Thompson LD. Chronic lymphocytic thyroiditis (Hashimoto thyroiditis). *Ear Nose Throat J*. 2014;93(4-5):152-153.

Thompson LD. Parathyroid adenoma. *Ear Nose Throat J*. 2014;93(7):246-268.

Thompson LD. Keratocystic odontogenic tumor. *Ear Nose Throat J*. 2014;93(9):386-388.

Thompson LD. Sinonasal tract mucosal melanoma. *Ear Nose Throat J*. 2014;93(10-11):E49-E50.

Weinreb I, Zhang L, Tirunagari LM, Sung YS, Chen CL, Perez-Ordóñez B, Clarke BA, Skalova A, Chiosea SI, Seethala RR, Waggott D, Boutros PC, How C, Liu FF, Irish JC, Goldstein DP, Gilbert R, Ud Din N, Assaad A, Hornick JL, Thompson LD, Antonescu CR. Novel PRKD gene rearrangements and variant fusions in cribriform adenocarcinoma of salivary gland origin. *Genes Chromosomes Cancer*. 2014;53(10):845-856.

Weinreb I, Piscuoglio S, Martelotto LG, Waggott D, Ng CK, Perez-Ordóñez B, Harding NJ, Alfaro J, Chu KC, Viale A, Fusco N, da Cruz Paula A, Marchio C, Sakr RA, Lim R, Thompson LD, Chiosea SI, Seethala RR, Skalova A, Stelow EB, Fonseca I, Assaad A, How C, Wang J, de Borja R, Chan-Seng-Yue M, Howlett CJ, Nichols AC, Wen YH, Katabi N, Buchner N, Mullen L, Kislinger T, Wouters BG, Liu FF, Norton L, McPherson JD, Rubin BP, Clarke BA, Weigelt B, Boutros PC, Reis-Filho JS. Hotspot activating PRKD1 somatic mutations in polymorphous low-grade adenocarcinomas of the salivary glands. *Nat Genet*. 2014;46(11):1166-1169.

Woolgar JA, Triantafyllou A, Thompson LD, Hunt JL, Lewis JS, Williams MD, Cardesa A, Rinaldo A, Barnes L, Slootweg PJ, Devaney KO, Gnepp DR, Westra WH, Ferlito A. Double reporting and second opinion in head and neck pathology. *Eur Arch Otorhinolaryngol*. 2014;271(5):847-854.

Xie L, Zheng L, Yu C, Yang C, Chen Z, Yun B, Kim E. Foreign body induced sialolithiasis treated by sialoendoscopic intervention. *J Craniofac Surg*. 2014;25(4):1372-1375.



## Health Economics

Cassarino DS, Lewine N, Cole D, Wade B, Gustavsen G. Budget impact analysis of a novel gene expression assay for the diagnosis of malignant melanoma. *J Med Econ*. 2014;17(11):782-791.

Fowler RA, Mittmann N, Geerts WH, Heels-Ansdell D, Gould MK, Guyatt G, Krahn M, Finfer S, Pinto R, Chan B, Ormanidhi O, Arabi Y, Qushmaq I, Rocha MG, Dodek P, McIntyre L, Hall R, Ferguson ND, Mehta S, Marshall JC, Doig CJ, Muscedere J, Jacka MJ, Klinger JR, Vlahakis N, Orford N, Seppelt I, Skrobik YK, Sud S, Cade JF, Cooper J, Cook D. Economic evaluation of the prophylaxis for thromboembolism in critical care trial (E-PROTECT): study protocol for a randomized controlled trial. *Trials*. 2014;15(1):502.

Kawatkar AA, Knight TK, Moss RA, Sikirica V, Chu LH, Hodgkins P, Haim Erder M, Nichol MB. Impact of mental health comorbidities on health care utilization and expenditure in a large US managed care adult population with ADHD. *Value Health*. 2014;17(6):661-668.

Sharp AL, Prosser LA, Walton M, Blow FC, Chermack ST, Zimmerman MA, Cunningham R. Cost analysis of youth violence prevention. *Pediatrics*. 2014;133(3):448-453.

Yeh JL, Wu S, Wu BU. Regional cost variation for acute pancreatitis in the US. *JOP*. 2014;15(5):448-454.



## Health Informatics

Kim BJ, Merchant M, Zheng C, Thomas AA, Contreras R, Jacobsen SJ, Chien GW. A natural language processing program effectively extracts key pathologic findings from radical prostatectomy reports. *J Endourol*. 2014;28(12):1474-1478.

Lawrence JM, Black MH, Zhang JL, Slezak JM, Takhar HS, Koebnick C, Mayer-Davis EJ, Zhong VW, Dabelea D, Hamman RF, Reynolds K. Validation of pediatric diabetes case identification approaches for diagnosed cases by using information in the electronic health records of a large integrated managed health care organization. *Am J Epidemiol*. 2014;179(1):27-38.

McGlynn EA, Lieu TA, Durham ML, Bauck A, Laws R, Go AS, Chen J, Feigelson HS, Corley DA, Young DR, Nelson AF, Davidson AJ, Morales LS, Kahn MG. Developing a data infrastructure for a learning health system: the PORTAL network. *J Am Med Inform Assoc*. 2014;21(4):596-601.

Thomas AA, Zheng C, Jung H, Chang A, Kim B, Gelfond J, Slezak J, Porter K, Jacobsen SJ, Chien GW. Extracting data from electronic medical records: validation of a natural language processing program to assess prostate biopsy results. *World J Urol*. 2014;32(1):99-103.

Zheng C, Rashid N, Wu YL, Koblick R, Lin AT, Levy GD, Cheetham TC. Using natural language processing and machine learning to identify gout flares from electronic clinical notes. *Arthritis Care Res (Hoboken)*. 2014;66(11):1740-1748.

Zhong VW, Pfaff ER, Beavers DP, Thomas J, Jaacks LM, Bowlby DA, Carey TS, Lawrence JM, Dabelea D, Hamman RF, Pihoker C, Saydah SH, Mayer-Davis EJ; For the Search for Diabetes in Youth Study Group. Use of administrative and electronic health record data for development of automated algorithms for childhood diabetes case ascertainment and type classification: the SEARCH for Diabetes in Youth Study. *Pediatr Diabetes*. 2014;15(8):573-584.



## Health Policy

Young DR, Spengler JO, Frost N, Evenson KR, Vincent JM, Whitsel L. Promoting physical activity through the shared use of school recreational spaces: a policy statement from the American Heart Association. *Am J Public Health*. 2014;104(9):1583-1588.



## Health Services Research

Campion TR, Johnson SB, Paxton EW, Mushlin AI, Sedrakyan A. Implementing unique device identification in electronic health record systems: organizational, workflow, and technological challenges. *Med Care*. 2014;52(1):26-31.

Sharp AL, Cobb EM, Dresden SM, Richardson DK, Sabbatini AK, Sauser K, Kocher KE. Understanding the value of emergency care: a framework incorporating stakeholder perspectives. *J Emerg Med*. 2014;47(3):333-342.



## HIV/AIDS

Gazzard B, Girard P, Di Perri G, Gallant J, Towner W, Rogatto F, Demorin J, McColl D, Liu H, Rhee M, Szwarcberg J, Piontkowsky D. Long-term efficacy and safety of E/C/F/TDF vs EFV/FTC/TDF and ATV+RTV+FTC/TDF in HIV-1-infected treatment-naïve subjects  $\geq 50$  years. *J Int AIDS Soc*. 2014 Nov 2; 17(4 Suppl 3):19767.

Marcus JL, Leyden WA, Chao CR, Chow FC, Horberg MA, Hurley LB, Klein DB, Quesenberry CP, Towner WJ, Silverberg MJ. HIV infection and incidence of ischemic stroke. *AIDS*. 2014;28(13):1911-1919.

Marcus JL, Chao CR, Leyden WA, Xu L, Klein DB, Horberg MA, Towner WJ, Quesenberry CP, Abrams DI, Van Den Eeden SK, Silverberg MJ. Prostate cancer incidence and prostate-specific antigen testing among HIV-positive and HIV-negative men. *J Acquir Immune Defic Syndr*. 2014;66(5):495-502.

Mills A, Crofoot G, Ortiz R, Rashbaum B, Towner W, Ward D, Brinson C, Kulkarni R, Garner W, Ebrahimi R, Cao H, Cheng A, Szwarcberg J. Switching from twice-daily raltegravir plus tenofovir disoproxil fumarate/emtricitabine to once-daily elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate in virologically suppressed, HIV-1-infected subjects: 48 weeks data. *HIV Clin Trials*. 2014;15(2):51-56.

Silverberg MJ, Leyden WA, Xu L, Horberg MA, Chao CR, Towner WJ, Hurley LB, Quesenberry CP, Klein DB. Immunodeficiency and risk of myocardial infarction among HIV-positive individuals with access to care. *J Acquir Immune Defic Syndr*. 2014;65(2):160-166.



## Immunology

Berman HF, Tartof SY, Reis JN, Reis MG, Riley LW. Distribution of superantigens in group A streptococcal isolates from Salvador, Brazil. *BMC Infect Dis*. 2014;14:294.

Prince HE, Lapé-Nixon M, Novak-Weekley SM. Performance of a cytomegalovirus IgG enzyme immunoassay kit modified to measure avidity. *Clin Vaccine Immunol*. 2014;21(6):808-812.



## Infectious Disease

Chen X, Yang X, Li Y, Zhu J, Zhou S, Xu Z, He L, Xue X, Zhang W, Dong X, Wu H, Li CJ, Hsu HT, Kong W, Liu F, Tripathi PB, Yu MS, Chang J, Zhou L, Su C. Follicular helper T cells promote liver pathology in mice during schistosoma japonicum infection. *PLoS Pathog*. 2014;10(5):e1004097.

Manns M, Pol S, Jacobson IM, Marcellin P, Gordon SC, Peng CY, Chang TT, Everson GT, Heo J, Gerken G, Yoffe B, Towner WJ, Bourliere M, Metivier S, Chu CJ, Sievert W, Bronowicki JP, Thabut D, Lee YJ, Kao JH, McPhee F, Kopit J, Mendez P, Linaberry M, Hughes E, Noviello S; HALLMARK-DUAL Study Team. All-oral daclatasvir plus asunaprevir for hepatitis C virus genotype 1b: a multinational, phase 3, multicohort study. *Lancet*. 2014;384(9954):1597-1605.

Mathur MB, Patel RB, Gould M, Uyeki TM, Bhattacharya J, Xiao Y, Gillaspie Y, Chae C, Khazeni N. Seasonal patterns in human A (H5N1) virus infection: analysis of global cases. *PLoS ONE*. 2014;9(9):e106171.

Patel RB, Mathur MB, Gould M, Uyeki TM, Bhattacharya J, Xiao Y, Khazeni N. Demographic and clinical predictors of mortality from highly pathogenic avian influenza A (H5N1) virus infection: CART analysis of international cases. *PLoS ONE*. 2014;9(3):e91630.

**Soltani AM**, Best MJ, Francis CS, Allan BJ, Askari M, Panthaki ZJ. Trends in the incidence and treatment of necrotizing soft tissue infections: an analysis of the National Hospital Discharge Survey. *J Burn Care Res.* 2014;35(5):449-454.

**Tartof SY**, Gounder P, Weiss D, Lee L, Cassidy PK, Clark TA, Briere EC; Bordetella holmesii Working Group. Bordetella holmesii bacteremia cases in the United States, April 2010-January 2011. *Clin Infect Dis.* 2014;58(2):e39-43.

**Tartof SY**, Yu KC, Wei R, Tseng HF, Jacobsen SJ, Rieg GK. Incidence of polymerase chain reaction-diagnosed Clostridium difficile in a large high-risk cohort, 2011-2012. *Mayo Clin Proc.* 2014;89(9):1229-1238.

**Taylor ZW**, Ackerson B, Bronstein DE, Lewis K, Steinberg E, Stone MM, Viraraghavan R, Wong VK, Salzman MB. Wheezing in children with pertussis associated with delayed pertussis diagnosis. *Pediatr Infect Dis J.* 2014;33(4):351-354.

**Yu K**, Rho J, Morcos M, Nomura J, Kaplan D, Sakamoto K, Bui D, Yoo S, Jones J. Evaluation of dedicated infectious diseases pharmacists on antimicrobial stewardship teams. *Am J Health Syst Pharm.* 2014;71(12):1019-1028.



## Innovation and Process Transformation

**Garrido T**, Meng D, Wang JJ, Palen TE, **Kanter MH**. Secure e-mailing between physicians and patients: transformational change in ambulatory care. *J Ambul Care Manage.* 2014;37(3):211-218.

**Hazlehurst BL**, **Lawrence JM**, Donahoo WT, Sherwood NE, Kurtz SE, Xu S, Steiner JF. Automating assessment of lifestyle counseling in electronic health records. *Am J Prev Med.* 2014;46(5):457-464.

**Martin EG**, Helbig N, **Shah NR**. Liberating data to transform health care: New York's open data experience. *JAMA.* 2014;311(24):2481-2482.

**Samuel L**, **Novak-Weekley S**. The role of the clinical laboratory in the future of health care: lean microbiology. *J Clin Microbiol.* 2014;52(6):1812-1817.



## Kidney Diseases

**Brar SS**, Aharonian V, Mansukhani P, Moore N, Shen AY, Jorgensen M, Dua A, Short L, Kane K. Haemodynamic-guided fluid administration for the prevention of contrast-induced acute kidney injury: the POSEIDON randomised controlled trial. *Lancet.* 2014;383(9931):1814-1823.

**Imam TH**, **Taur AS**, Patail H. Image diagnosis: medullary sponge kidney *Perm J.* 2014;18(2):e130-131.

**Imam TH**. Taking alcohol with a (large) pinch of salt: understanding the osmoles in "beer potomania" and "starvation potomania." *Indian J Nephrol.* 2014;24(4):203-205.

**Kumar VA**, **Sidell MA**, **Jones JP**, Vonesh EF. Survival of propensity matched incident peritoneal and hemodialysis patients in a United States health care system. *Kidney Int.* 2014;86(5):1016-1022.

**Kumar VA**, **Sidell MA**, **Yang WT**, **Jones JP**. Predictors of peritonitis, hospital days, and technique survival for peritoneal dialysis patients in a managed care setting. *Perit Dial Int.* 2014;34(2):171-178.

**Latt NL**, Alachkar N, Alachka N, Taydas E, Cameron A, Gurakar A. Diagnosing hepatitis C virus and improved outcomes in overall and kidney graft survival among simultaneous liver-kidney transplant recipients in the post-MELD era. *Exp Clin Transplant.* 2014;12 Suppl 1:45-49.

**Levy GD**, **Rashid N**, **Niu F**, **Cheetham TC**. Effect of urate-lowering therapies on renal disease progression in patients with hyperuricemia. *J Rheumatol.* 2014;41(5):955-962.

**Li L**, **Lau WL**, **Rhee CM**, **Harley K**, **Kovesdy CP**, **Sim JJ**, **Jacobsen S**, **Chang A**, **Landman J**, **Kalantar-Zadeh K**. Risk of chronic kidney disease after cancer nephrectomy. *Nat Rev Nephrol.* 2014;10(3):135-145.

**Molnar MZ**, **Foster CE**, **Sim JJ**, **Remport A**, **Krishnan M**, **Kovesdy CP**, **Kalantar-Zadeh K**. Association of pre-transplant blood pressure with post-transplant outcomes. *Clin Transplant.* 2014;28(2):166-176.



## Maternal and Infant/Neonatal Health

**Avalos LA**, **Chen H**, **Yang C**, **Andrade SE**, **Cooper WO**, **Cheetham CT**, **Davis RL**, **Dublin S**, **Hammad TA**, **Kaplan S**, **Pawloski PA**, **Raebel MA**, **Scott PE**, **Smith DH**, **Toh S**, **Li DK**. The prevalence and trends of antiviral medication use during pregnancy in the US: a population-based study of 664,297 deliveries in 2001-2007. *Matern Child Health J.* 2014;18(1):64-72.

**Bender JM**, **Taylor CS**, **Cumpio J**, **Novak SM**, **She RC**, **Steinberg EA**, **Marlowe EM**. Infants 1-90 days old hospitalized with human rhinovirus infection. *J Clin Lab Anal.* 2014;28(5):349-352.

**Chon AH**, **Korst LM**, **Llanes A**, **Miller DA**, **Ouzounian JG**, **Chmait RH**. Midtrimester isolated polyhydramnios in monochorionic diamniotic multiple gestations. *Am J Obstet Gynecol.* 2014;211(3):303.e1-5.

**Cooper WO**, **Cheetham TC**, **Li DK**, **Stein CM**, **Callahan ST**, **Morgan TM**, **Shintani AK**, **Chen N**, **Griffin MR**, **Ray WA**. Brief report: risk of adverse fetal outcomes associated with immunosuppressive medications for chronic immune-mediated diseases in pregnancy. *Arthritis Rheumatol.* 2014;66(2):444-450.

**Getahun D**, Demissie K, Marcella SW, Rhoads GG. The impact of changes in preterm birth among twins on stillbirth and infant mortality in the United States. *J Perinatol*. 2014;34(11):823-829.

**Getahun D**. Epidemiologic considerations: scope of problem and disparity concerns. *Clin Obstet Gynecol*. 2014;57(2):326-330.

**Getahun D, Fassett MJ, Longstreth GF, Koebnick C, Langer-Gould AM, Strickland D, Jacobsen SJ**. Association between maternal inflammatory bowel disease and adverse perinatal outcomes. *J Perinatol*. 2014;34(6):435-440.

**Guon J, Wilfond BS, Farlow B, Brazg T, Janvier A**. Our children are not a diagnosis: the experience of parents who continue their pregnancy after a prenatal diagnosis of trisomy 13 or 18. *Am J Med Genet A*. 2014;164A(2):308-318.

**Haghikia A, Langer-Gould A, Rellensmann G, Schneider H, Tenenbaum T, Elias-Hamp B, Menck S, Zimmermann J, Herbstritt S, Marziniak M, Kumpfel T, Meinel I, Plavina T, Gold R, Hellwig K**. Natalizumab use during the third trimester of pregnancy. *JAMA Neurol*. 2014;71(7):891-895.

**Janvier A, Barrington KJ, Aziz K, Bancalari E, Batton D, Bellieni C, Bensouda B, Blanco C, Cheung PY, Cohn F, Daboval T, Davis P, Dempsey E, Dupont-Thibodeau A, Ferretti E, Farlow B, Fontana M, Fortin-Pellerin E, Goldberg A, Hansen TW, Haward M, Kovacs L, Lapointe A, Lantos J, Morley C, Moussa A, Musante G, Nadeau S, O'Donnell CP, Orfali K, Payot A, Ryan CA, Sant'anna G, Saugstad OD, Sayeed S, Stokes TA, Verhagen E**. CPS position statement for prenatal counselling before a premature birth: Simple rules for complicated decisions. *Paediatr Child Health*. 2014;19(1):22-24.

**Li DK, Raebel MA, Cheetham TC, Hansen C, Avalos L, Chen H, Davis R**. Genital herpes and its treatment in relation to preterm delivery. *Am J Epidemiol*. 2014;180(11):1109-1117.

**Wing DA, Fassett MJ, Getahun D**. Acute pyelonephritis in pregnancy: an 18-year retrospective analysis. *Am J Obstet Gynecol*. 2014;210(3):219.e1-6.

## Medication Adherence

**Chi MD, Vansomphone SS, Liu IL, Cheetham C, Green KR, Scott RD, Reynolds K**. Adherence to statins and LDL-cholesterol goal attainment. *Am J Manag Care*. 2014;20(4):e105-112.

**Chlebowski RT, Kim J, Haque R**. Adherence to endocrine therapy in breast cancer adjuvant and prevention settings. *Cancer Prev Res (Phila)*. 2014;7(4):378-387.

**Reynolds K, Viswanathan HN, Muntner P, Harrison TN, Cheetham TC, Hsu JW, Gold DT, Silverman S, Grauer A, Morisky DE, O'Malley CD**. Validation of the osteoporosis-specific Morisky Medication Adherence Scale in long-term users of bisphosphonates. *Qual Life Res*. 2014;23(7):2109-2120.

**Spence MM, Makarem AF, Reyes SL, Rosa LL, Nguyen C, Oyekan EA, Kiyohara AT**. Evaluation of an outpatient pharmacy clinical services program on adherence and clinical outcomes among patients with diabetes and/or coronary artery disease. *J Manag Care Pharm*. 2014;20(10):1036-1045.

## Men's Health

**Finkle WD, Greenland S, Ridgeway GK, Adams JL, Frasco MA, Cook MB, Fraumeni JF, Hoover RN**. Increased risk of non-fatal myocardial infarction following testosterone therapy prescription in men. *PLoS ONE*. 2014;9(1):e85805.

**Rhee EY**. Quadratic male sling revision. *J Sex Med*. 2014;11(1):4-7.

**Sarma AV, St Sauver JL, Jacobson DJ, McGree ME, Klee GG, Lieber MM, Girman CJ, Hollingsworth JM, Jacobsen SJ**; Urologic Diseases in America Project. Racial differences in longitudinal changes in serum prostate-specific antigen levels: The Olmsted County Study and the Flint Men's Health Study. *Urology*. 2014;83(1):88-93.

## Mental Health

**Asarnow JR, Zeledon LR, D'Amico E, Laborde A, Anderson M, Avina C, Arslanian T, Do MC, Harwood J, Shoptaw S**. Depression and health risk behaviors: towards optimizing primary care service strategies for addressing risk. *Prim Health Care*. 2014;4(1):152.

**Knight TK, Kawatkar A, Hodgkins P, Moss R, Chu LH, Sikirica V, Erder MH, Nichol MB**. Prevalence and incidence of adult attention deficit/hyperactivity disorder in a large managed care population. *Curr Med Res Opin*. 2014;30(7):1291-1299.

**Lu CY, Zhang F, Lakoma MD, Madden JM, Rusinak D, Penfold RB, Simon G, Ahmedani BK, Clarke G, Hunkeler EM, Waitzfelder B, Owen-Smith A, Raebel MA, Rossom R, Coleman KJ, Copeland LA, Soumerai SB**. Changes in antidepressant use by young people and suicidal behavior after FDA warnings and media coverage: quasi-experimental study. *BMJ*. 2014;348:g3596.

**Novac A, McEwan S, Bota RG**. Negative rumor: contagion of a psychiatric department. *Prim Care Companion CNS Disord*. 2014;16(2).

**Novac A, Bota RG**. Transprocessing: a proposed neurobiological mechanism of psychotherapeutic processing. *Ment Illn*. 2014;6(1):5077.

**Tuso P.** Treatment progress indicator: application of a new assessment tool to objectively monitor the therapeutic progress of patients with depression, anxiety, or behavioral health impairment. *Perm J.* 2014;18(3):55-59.



## Neurological Disorders

**Beaber BE, Chi MD, Brara SM, Zhang JL, Langer-Gould AM.** Immunomodulatory agents and risk of postpartum multiple sclerosis relapses. *Perm J.* 2014;18(1):9-13.

Bönnemann CG, Wang CH, Quijano-Roy S, Deconinck N, Bertini E, Ferreira A, Muntoni F, Sewry C, Bérout C, Mathews KD, Moore SA, Bellini J, **Rutkowski A**, North KN; Members of International Standard of Care Committee for Congenital Muscular Dystrophies. Diagnostic approach to the congenital muscular dystrophies. *Neuromuscul Disord.* 2014;24(4):289-311.

Charles D, Konrad PE, Neimat JS, Molinari AL, Tramontana MG, Finder SG, Gill CE, **Bliton MJ**, Kao C, Pibbs FT, Hedera P, Salomon RM, Cannard KR, Wang L, Song Y, Davis TL. Subthalamic nucleus deep brain stimulation in early stage Parkinson's disease. *Parkinsonism Relat Disord.* 2014;20(7):731-737.

Crow YJ, Zaki MS, Abdel-Hamid MS, Abdel-Salam G, Boespflug-Tanguy O, Cordeiro NJ, Gleeson JG, **Gowrinathan NR**, Laugel V, Renaldo F, Rodriguez D, Livingston JH, Rice GI. Mutations in ADAR1, IFIH1, and RNASEH2B presenting as spastic paraplegia. *Neuropediatrics.* 2014;45(6):386-393.

**Hitchler MJ, Domann FE.** Regulation of CuZnSOD and its redox signaling potential: implications for amyotrophic lateral sclerosis. *Antioxid Redox Signal.* 2014;20(10):1590-1598.

**Langer-Gould A, Brara SM, Beaber BE, Zhang JL.** The incidence of clinically isolated syndrome in a multi-ethnic cohort. *J Neurol.* 2014;261(7):1349-1355.

**Langer-Gould AM.** The pill times 2: what every woman with multiple sclerosis should know. *Neurology.* 2014;82(8):654-655.

Novac AA, Bota D, **Witkowski J, Lipiz J, Bota RG.** Special medical conditions associated with catatonia in the internal medicine setting: hyponatremia-inducing psychosis and subsequent catatonia. *Perm J.* 2014;18(3):78-81.

Pasqualin LM, Reed UC, Costa TV, Quedas E, Albuquerque MA, Resende MB, **Rutkowski A**, Chadi G, Zanoteli E. Congenital muscular dystrophy with dropped head linked to the LMNA gene in a Brazilian cohort. *Pediatr Neurol.* 2014;50(4):400-406.

Sfera A, **Osorio C.** Water for thought: is there a role for aquaporin channels in delirium? *Front Psychiatry.* 2014;5:57.

Vuillerot C, Meilleur KG, Jain M, Waite M, Wu T, Linton M, Datsgir J, Donkervoort S, Leach ME, **Rutkowski A**, Rippert P, Payan C, Iwaz J, Hamroun D, Bérard C, Poirot I, Bönnemann CG. English cross-cultural translation and validation of the NM-Score: a system for motor function classification in patients with neuromuscular diseases. *Arch Phys Med Rehabil.* 2014;95(11):2064-2070.e1.



## Nursing Research

**Crawford CL, Lopez CM.** The research process and simulation in nursing: what it is and what it is not. *J Nurses Prof Dev.* 2014;30(3):127-133.

**Johnson JA.** Why are nurses so reluctant to implement changes based on evidence and what can we do to help? *J Nurses Prof Dev.* 2014;30(1):45-46.

**Johnson JA.** "But no one ever told me!": ensuring learning and transfer. *J Nurses Prof Dev.* 2014;30(4):211-212.

**Johnson JA.** Placebo/nocebo/tomato effect ... it's all about attitude, perception, and expectation. *J Nurses Prof Dev.* 2014;30(5):264-265.

**Johnson JA.** Perspectives from history ... our proud heritage and professional identity. *J Nurses Prof Dev.* 2014;30(6):319-321.

Levine J, **Johnson J.** An organizational competency validation strategy for registered nurses. *J Nurses Prof Dev.* 2014;30(2):58-65.

**Rondinelli JL, Omery AK, Crawford CL, Johnson JA.** Self-reported activities and outcomes of ambulatory care staff registered nurses: an exploration. *Perm J.* 2014;18(1):e108-115.



## Obesity

**Coleman KJ, Brookey J.** Gender and racial/ethnic background predict weight loss after Roux-en-Y gastric bypass independent of health and lifestyle behaviors. *Obes Surg.* 2014;24(10):1729-1736.

**Coleman KJ, Huang YC, Koebnick C, Reynolds K, Xiang AH, Black MH, Alskaf S.** Metabolic syndrome is less likely to resolve in Hispanics and non-Hispanic blacks after bariatric surgery. *Ann Surg.* 2014;259(2):279-285.

**Coleman KJ, Huang YC, Hendee F, Watson HL, Casillas RA, Brookey J.** Three-year weight outcomes from a bariatric surgery registry in a large integrated healthcare system. *Surg Obes Relat Dis.* 2014;10(3):396-403.

**Ghai NR, Reynolds KD, Xiang AH, Massie K, Rosetti S, Blanco L, Martinez MP, Quinn VP.** Recruitment results among families contacted for an obesity prevention intervention: the Obesity Prevention Tailored for Health Study. *Trials.* 2014;15(1):463.

Schröder H, Ribas L, Koebnick C, Funtikova A, Gomez SF, Fito M, Perez-Rodrigo C, Serra-Majem L. Prevalence of abdominal obesity in Spanish children and adolescents. Do we need waist circumference measurements in pediatric practice? *PLoS ONE*. 2014;9(1):e87549.



### Patient-Reported Outcomes

Bojic JL, Sue VM, Huon TS, Maletis GB, Inacio MC. Comparison of paper and electronic surveys for measuring patient-reported outcomes after anterior cruciate ligament reconstruction. *Perm J*. 2014;18(3):22-26.

Garcia I, Portugal C, Chu LH, Kawatkar AA. Response rates of three modes of survey administration and survey preferences of rheumatoid arthritis patients. *Arthritis Care Res (Hoboken)*. 2014;66(3):364-370.

Keyhan S, Munro MG. Office diagnostic and operative hysteroscopy using local anesthesia only: an analysis of patient reported pain and other procedural outcomes. *J Minim Invasive Gynecol*. 2014;21(5):791-798.

Robbins DA, Curro FA, Mattison J. Person-centric clinical trials: ethical challenges in recruitment and data transparency for improved outcomes. *J Clin Pharmacol*. 2014;54(9):1072-1077.



### Pharmacoepidemiology

Adams AL, Black MH, Zhang JL, Shi JM, Jacobsen SJ. Proton-pump inhibitor use and hip fractures in men: a population-based case-control study. *Ann Epidemiol*. 2014;24(4):286-290.

Cheetham TC, Lee J, Hunt CM, Niu F, Reisinger S, Murray R, Powell G, Papay J. An automated causality assessment algorithm to detect drug-induced liver injury in electronic medical record data. *Pharmacoepidemiol Drug Saf*. 2014;23(6):601-608.

Hui RL, Yamada BD, Spence MM, Jeong EW, Chan J. Impact of a Medicare MTM program: evaluating clinical and economic outcomes. *Am J Manag Care*. 2014;20(2):e43-51.

Lu CY, Stewart C, Ahmed AT, Ahmedani BK, Coleman K, Copeland LA, Hunkeler EM, Lakoma MD, Madden JM, Penfold RB, Rusinak D, Zhang F, Soumerai SB. How complete are E-codes in commercial plan claims databases? *Pharmacoepidemiol Drug Saf*. 2014;23(2):218-220.



### Prevention and Behavior Change

Caparosa SL, Shordon M, Santos AT, Pomichowski ME, Dzewaltowski DA, Coleman KJ. Fundraising, celebrations and classroom rewards are substantial sources of unhealthy foods and beverages on public school campuses. *Public Health Nutr*. 2014;17(6):1205-1213.

Gupta S, Sussman DA, Doubeni CA, Anderson DS, Day L, Deshpande AR, Elmunzer BJ, Laiyemo AO, Mendez J, Somsouk M, Allison J, Bhuket T, Geng Z, Green BB, Itzkowitz SH, Martinez ME. Challenges and possible solutions to colorectal cancer screening for the underserved. *J Natl Cancer Inst*. 2014;106(4):dju032.

Sorensen HJ. A conversation on the future of health care: integrating lifestyle medicine-part one: understanding the concepts. *Perm J*. 2014;18(2):89-91.

Tiro JA, Kamineni A, Levin TR, Zheng Y, Schottinger JS, Rutter CM, Corley DA, Skinner CS, Chubak J, Doubeni CA, Halm EA, Gupta S, Wernli KJ, Klabunde C. The colorectal cancer screening process in community settings: a conceptual model for the population-based research optimizing screening through personalized regimens consortium. *Cancer Epidemiol Biomarkers Prev*. 2014;23(7):1147-1158.

Tuso P. Prediabetes and lifestyle modification: time to prevent a preventable disease. *Perm J*. 2014;18(3):88-93.

Tuso P. Physician update: total health. *Perm J*. 2014;18(2):58-63.

Tuso P. Behavior medicine specialist. *Perm J*. 2014;18(4):52-57.



### Primary Care

Dor K. Utilization of a referral-based procedure clinic to improve procedure training and assessment in a family medicine residency. *J Grad Med Educ*. 2014;6(2):358-359.

Martires KJ, Kurlander DE, Minwell GJ, Dahms EB, Bordeaux JS. Patterns of cancer screening in primary care from 2005 to 2010. *Cancer*. 2014;120(2):253-261.



### Pulmonary Disease

Donesky D, Nguyen HQ, Paul SM, Carrieri-Kohlman V. The affective dimension of dyspnea improves in a dyspnea self-management program with exercise training. *J Pain Symptom Manage*. 2014;47(4):757-771.

Jones BE, Jones JP, Vines CG, Dean NC. Validating hospital admission criteria for decision support in pneumonia. *BMC Pulm Med*. 2014;14(1):149.

Martinez CH, Moy ML, **Nguyen HQ**, Cohen M, Kadri R, Roman P, Holleman RG, Kim HM, Goodrich DE, Giardino ND, Richardson CR. Taking Healthy Steps: rationale, design and baseline characteristics of a randomized trial of a pedometer-based internet-mediated walking program in veterans with chronic obstructive pulmonary disease. *BMC Pulm Med*. 2014;14:12.

**Nguyen HQ**, Chu L, Liu IA, Lee JS, Suh D, Korotzer B, Yuen G, Desai S, Coleman KJ, Xiang AH, Gould MK. Associations between physical activity and 30-day readmission risk in chronic obstructive pulmonary disease. *Ann Am Thorac Soc*. 2014;11(5):695-705.



### Qualitative and Mixed Methods

Danis M, Sommers R, Logan J, Weidmer B, Chen S, Goold S, Pearson S, Donley G, **McGlynn E**. Exploring public attitudes towards approaches to discussing costs in the clinical encounter. *J Gen Intern Med*. 2014;29(1):223-229.

Fleehart S, Fan VS, **Nguyen HQ**, Lee J, Kohen R, Herting JR, Matute-Bello G, Adams SG, Pagalilauan G, Borson S. Prevalence and correlates of suicide ideation in patients with COPD: a mixed methods study. *Int J Chron Obstruct Pulmon Dis*. 2014;10:1321-1329.

Larkin H, **Felitti VJ**, Anda RF. Social work and adverse childhood experiences research: implications for practice and health policy. *Soc Work Public Health*. 2014;29(1):1-16.

Rucker L, Shapiro J, Fornwalt C, Hundal K, Reddy S, Singson Z, **Trieu K**. Using focus groups to understand causes for morale decline after introducing change in an IM residency program. *BMC Med Educ*. 2014;14(1):132.



### Quality Improvement

Danforth KN, Smith AE, Loo RK, Jacobsen SJ, **Mittman BS**, Kanter MK. Electronic clinical surveillance to improve outpatient care: diverse applications within an integrated delivery system. *EGEMS (Wash DC)*. 2014;2(1):1056.

**Derose SF**, Gabayan GZ, Chiu VY, Yiu SC, Sun BC. Emergency department crowding predicts admission length-of-stay but not mortality in a large health system. *Med Care*. 2014;52(7):602-611.

Gidengil C, Mangione-Smith R, Bailey LC, Cawthon ML, **McGlynn EA**, Nakamura MM, Schiff J, Schuster MA, Schneider EC. Using Medicaid and CHIP claims data to support pediatric quality measurement: lessons from 3 centers of excellence in measure development. *Acad Pediatr*. 2014;14(5 Suppl):S76-81.

Graber ML, Trowbridge R, Myers JS, Umscheid CA, Strull W, **Kanter MH**. The next organizational challenge: finding and addressing diagnostic error. *Jt Comm J Qual Patient Saf*. 2014;40(3):102-110.

Hatfield MD, Cox R, Mhatre SK, **Flowers WP**, Sangsri SS. Impact of computerized provider order entry on pharmacist productivity. *Hosp Pharm*. 2014;49(5):458-465.

**Lapoint J**, Perrone J, Nelson LS. Electronic pharmacopoeia: a missed opportunity for safe opioid prescribing information? *J Med Toxicol*. 2014;10(1):15-18.

**McGlynn EA**, Adams JL. What makes a good quality measure? *JAMA*. 2014;312(15):1517-1518.

**McGlynn EA**, Schneider EC, Kerr EA. Reimagining quality measurement. *N Engl J Med*. 2014;371(23):2150-2153.

**Omery A**, **Mussell D**, **Rondinelli J**, **Ecker M**, Baker J, Shanks H, Kleinhelter P. Under pressure: nursing interventions help prevent HAPUs. *Nurs Manage*. 2014;45(4):36-43.

**Tuso P**, **Watson HL**, Garofalo-Wright L, **Lindsay G**, Jackson A, **Taitano M**, **Koyama S**, **Kanter M**. Complex case conferences associated with reduced hospital admissions for high-risk patients with multiple comorbidities. *Perm J*. 2014;18(1):38-42.



### Quality of Life

**Porter KR**, Menon U, Vick NA, Villano JL, Berbaum ML, Davis FG. Assessment of clinical and nonclinical characteristics associated with health-related quality of life in patients with high-grade gliomas: a feasibility study. *Support Care Cancer*. 2014;22(5):1349-1362.

Santoro MS, Van Liew C, Cronan TA, Franks HM, Adams RN, Roesch SC, Wooldridge JS, **Tomita M**. Physical function and quality of well-being in fibromyalgia: the applicability of the goodness-of-fit hypothesis. *Health Psychol Behav Med*. 2014;2(1):496-508.



### Radiology and Imaging

**Martin JW**, Bach DS. Posterior mitral leaflet left atrial anomalous chord in the absence of surgical mitral regurgitation. *Echocardiography*. 2014;31(7):E227.

**Ross J**, **Wolf D**, **Reece K**. Highly reliable procedural teams: the journey to spread the universal protocol in diagnostic imaging. *Perm J*. 2014;18(1):33-37.



### Research Design and Methodology

Chang T, Gossa W, **Sharp A**, Rowe Z, Kohatsu L, Cobb EM, Heisler M. Text messaging as a community-based survey tool: a pilot study. *BMC Public Health*. 2014;14:936.

**Chen W**, **Shi J**, **Qian L**, Azen SP. Comparison of robustness to outliers between robust poisson models and log-binomial models when estimating relative risks for common binary outcomes: a simulation study. *BMC Med Res Methodol*. 2014;14:82.

Hays RD, **Berman LJ**, Kanter MH, Hugh M, Oglesby RR, Kim CY, Cui M, Brown J. Evaluating the psychometric properties of the CAHPS patient-centered medical home survey. *Clin Ther*. 2014;36(5):689-696.e1.

Lowder JL, Ghetti C, Oliphant SS, **Skoczylas LC**, Swift S, Switzer GE. Body image in pelvic organ prolapse (BPOP) questionnaire: development and validation. *Am J Obstet Gynecol*. 2014;211(2):174.e1-9.



## Rheumatology

Armstrong AW, Tuong W, Love TJ, Carneiro S, Grynszpan R, **Lee SS**, Kavanaugh A. Treatments for nail psoriasis: a systematic review by the GRAPPA nail psoriasis work group. *J Rheumatol*. 2014;41(11):2306-2314.

Hansen KE, **Kleker B**, Safdar N, Bartels CM. A systematic review and meta-analysis of glucocorticoid-induced osteoporosis in children. *Semin Arthritis Rheum*. 2014;44(1):47-54.

Schiopu E, **Au KM**, McMahon MA, Kaplan MJ, Divekar A, Singh RR, Furst DE, Clements PJ, Ragvendra N, Zhao W, Maranian P, Khanna D. Prevalence of subclinical atherosclerosis is increased in systemic sclerosis and is associated with serum proteins: a cross-sectional, controlled study of carotid ultrasound. *Rheumatology (Oxford)*. 2014;53(4):704-713.



## Sleep Disorders

**Adenuga O**, Attarian H. Treatment of disorders of hypersomnolence. *Curr Treat Options Neurol*. 2014;16(9):302.



## Sports Medicine

Archibald-Seiffer N, **Weiss J**, Shea K, Edmonds E, Henrikus W, Polousky J, Heyworth B, Chambers H, McIntosh A, Murnaghan L, Busch M. Cases and current concepts in pediatric sports medicine. *J Pediatr Orthop*. 2014;34 Suppl 1:S49-56.

**Boddula MR**, Adamson GJ, Pink MM. Medial reefing without lateral release for recurrent patellar instability: midterm and long-term outcomes. *Am J Sports Med*. 2014;42(1):216-224.

**Fithian DC**. To operate or not to operate? That is (still) the question: commentary on an article by Hege Grindem, PT, PhD, et al.: "Nonsurgical or surgical treatment of ACL injuries: knee function, sports participation, and knee reinjury. The Delaware-Oslo ACL Cohort Study." *J Bone Joint Surg Am*. 2014;96(15):e133.

Funahashi KM, Moksnes H, **Maletis GB**, Csintalan RP, **Inacio MC**, Funahashi TT. Anterior cruciate ligament injuries in adolescents with open physis: effect of recurrent injury and surgical delay on meniscal and cartilage injuries. *Am J Sports Med*. 2014;42(5):1068-1073.

Grimm NL, **Weiss JM**, Kessler JI, Aoki SK. Osteochondritis dissecans of the knee: pathoanatomy, epidemiology, and diagnosis. *Clin Sports Med*. 2014;33(2):181-188.

**Inacio MC**, Chen Y, **Maletis GB**, Ake CF, Fithian DC, Granan LP. Injury pathology at the time of anterior cruciate ligament reconstruction associations with self-assessment of knee function. *Clin J Sport Med*. 2014;24(6):461-457.

**Kessler JI**, Nikizad H, Shea KG, Jacobs JC, **Bebchuk JD**, **Weiss JM**. The demographics and epidemiology of osteochondritis dissecans of the knee in children and adolescents. *Am J Sports Med*. 2014;42(2):320-326.

**Kessler JI**, **Weiss JM**, Nikizad H, **Gyurdzhyan S**, Jacobs JC, **Bebchuk JD**, Shea KG. Osteochondritis dissecans of the ankle in children and adolescents: demographics and epidemiology. *Am J Sports Med*. 2014;42(9):2165-2171.

Wyatt RW, **Inacio MC**, Liddle KD, **Maletis GB**. Prevalence and incidence of cartilage injuries and meniscus tears in patients who underwent both primary and revision anterior cruciate ligament reconstructions. *Am J Sports Med*. 2014;42(8):1841-1846.



## Surgical Care

**Cheng AW**, Shaul DB, Lau ST, Sydorak RM. Laparoscopic redo nissen fundoplication after previous open antireflux surgery in infants and children. *J Laparoendosc Adv Surg Tech A*. 2014;24(5):359-361.

**Cheng AW**, Abbas MA, **Tejirian T**. Outcome of abdominal wall hernia repair with biologic mesh: Permacol™ versus Strattice™. *Am Surg*. 2014;80(10):999-1002.

Davis TT, Tadlock S, **Bernbeck J**, Fung DA, Molinares DM. Can triggered electromyography be used to evaluate pedicle screw placement in hydroxyapatite-coated screws: an electrical examination. *J Clin Neurophysiol*. 2014;31(2):138-142.

**Dehal A**, **Tessier DJ**. Intraperitoneal and extraperitoneal colonic perforation following diagnostic colonoscopy. *JLS*. 2014;18(1):136-141.

**Dehal A**, **Woodward B**, **Johna S**, **Yamanishi F**. Bilateral laparoscopic totally extraperitoneal repair without mesh fixation. *JLS*. 2014;18(3).

**Elisha S**, **Nagelhout J**, **Heiner J**, **Gabot M**. Anesthesia case management for endovascular aortic aneurysm repair. *AANA J*. 2014;82(2):145-152.

Le C, Guppy KH, Axelrod YV, Hawk MW, Silverthorn J, **Inacio MC**, Akins PT. Lower complication rates for cranioplasty with peri-operative bundle. *Clin Neurol Neurosurg*. 2014;120:41-44.

**Mitchell MB, Daniel D**. Homeward bound: the safety of discharging postappendectomy patients directly home from the recovery room. *Am Surg*. 2014;80(10):1069-1073.

Pan J, He H, **Feng L**, Viñuela F, Wu Z, Zhan R. Angioarchitectural characteristics associated with complications of embolization in supratentorial brain arteriovenous malformation. *AJNR Am J Neuroradiol*. 2014;35(2):354-359.

Petrowsky H, Rana A, Kaldas FM, Sharma A, Hong JC, Agopian VG, Durazo F, Honda H, Gornbein J, **Wu V**, Farmer DG, Hiatt JR, Busuttill RW. Liver transplantation in highest acuity recipients: identifying factors to avoid futility. *Ann Surg*. 2014;259(6):1186-1194.

**Schwartz HC**. Does computer-aided surgical simulation improve efficiency in bimaxillary orthognathic surgery? *Int J Oral Maxillofac Surg*. 2014;43(5):572-576.

Stevanovic M, **Sharpe F**. Functional free muscle transfer for upper extremity reconstruction. *Plast Reconstr Surg*. 2014;134(2):257e-274e.

**Tam MS, Abbass M, Tsay AT, Abbas MA**. Outcome of colonic fistula surgery in the modern surgical era. *Tech Coloproctol*. 2014;18(5):467-472.

**Thomas AA, Kim B, Derboghossians A, Chang A, Finley DS, Chien GW, Slezak J, Jacobsen SJ**. Impact of surgical case order on perioperative outcomes for robotic-assisted radical prostatectomy. *Urol Ann*. 2014;6(2):142-146.



## Urology

**Amundsen CL, Richter HE, Menefee S, Vasavada S, Rahn DD, Kenton K, Harvie HS, Wallace D, Meikle S**. The refractory overactive bladder: sacral neuromodulation vs. botulinum toxin Assessment: ROSETTA trial. *Contemp Clin Trials*. 2014;37(2):272-283.

Cartwright R, Mangera A, Tikkinen KA, Rajan P, Pesonen J, **Kirby AC**, Thiagamoorthy G, Ambrose C, Gonzalez-Maffe J, Bennett PR, Palmer T, Walley A, Järvelin MR, Khullar V, Chapple C. Systematic review and meta-analysis of candidate gene association studies of lower urinary tract symptoms in men. *Eur Urol*. 2014;66(4):752-768.

Chamie K, Sonn GA, **Finley DS**, Tan N, Margolis DJ, Raman SS, Natarajan S, Huang J, Reiter RE. The role of magnetic resonance imaging in delineating clinically significant prostate cancer. *Urology*. 2014;83(2):369-375.

Comiter CV, **Rhee EY**, Tu LM, Herschorn S, Nitti VW. The virtue sling – a new quadratic sling for postprostatectomy incontinence – results of a multinational clinical trial. *Urology*. 2014;84(2):433-438.

Kaefer M, Misseri R, **Frank E**, Rhee A, Lee SD. Refluxing ureteral reimplantation: A logical method for managing neonatal UVJ obstruction. *J Pediatr Urol*. 2014;10(5):824-830.

Oakley SH, **Brown HW**, Greer JA, Richardson ML, Adelowo A, Yurteri-Kaplan L, Lindo FM, Greene KA, Fok CS, Book NM, Saiz CM, Plowright LN, Harvie HS, Pauls RN. Management of vesicovaginal fistulae: a multicenter analysis from the Fellows' Pelvic Research Network. *Female Pelvic Med Reconstr Surg*. 2014;20(1):7-13.

Tikkinen KA, Agarwal A, Craigie S, Cartwright R, **Gould MK**, Haukka J, Naspro R, Novara G, Sandset PM, Siemieniuk RA, Violette PD, Guyatt GH. Systematic reviews of observational studies of risk of thrombosis and bleeding in urological surgery (ROTBUS): introduction and methodology. *Syst Rev*. 2014;3(1):150.

Vainrib M, **Reyblat P**, Ginsberg DA. Long-term efficacy of repeat incisions of bladder neck/external sphincter in patients with spinal cord injury. *Urology*. 2014;84(4):940-945.



## Vaccine Safety and Effectiveness

**Ackerson BK, Li BH, Sy LS, Cheetham TC, Jacobsen SJ**. Association of the use of MMRV in infants by pediatric infectious disease specialists with that of other affiliated providers. *Vaccine*. 2014;32(16):1863-1868.

Daley MF, Yih WK, Glanz JM, Hambidge SJ, Narwaney KJ, Yin R, Li L, Nelson JC, Nordin JD, Klein NP, **Jacobsen SJ**, Weintraub E. Safety of diphtheria, tetanus, acellular pertussis and inactivated poliovirus (DTaP-IPV) vaccine. *Vaccine*. 2014;23(25):3019-3024.

Hambidge SJ, Newcomer SR, Narwaney KJ, Glanz JM, Daley MF, Xu S, Shoup JA, Rowhani-Rahbar A, Klein NP, Lee GM, Nelson JC, **Lugg MM**, Naleway AL, Nordin JD, Weintraub E, DeStefano F. Timely versus delayed early childhood vaccination and seizures. *Pediatrics*. 2014;133(6):e1492-1499.

**Hechter RC, Jacobsen SJ, Luo Y, Nomura JH, Towner WJ, Tartof SY, Tseng HF**. Hepatitis B testing and vaccination among adults with sexually transmitted infections in a large managed care organization. *Clin Infect Dis*. 2014;58(12):1739-1745.

Kawai AT, Li L, Kulldorff M, Vellozzi C, Weintraub E, Baxter R, Belongia EA, Daley MF, **Jacobsen SJ**, Naleway A, Nordin JD, Lee GM. Absence of associations between influenza vaccines and increased risks of seizures, Guillain-Barré syndrome, encephalitis, or anaphylaxis in the 2012-2013 season. *Pharmacoepidemiol Drug Saf*. 2014;23(5):548-553.

Kharbanda EO, Vazquez-Benitez G, Lipkind H, Naleway AL, Klein NP, **Cheetham TC**, Hambidge SJ, Vellozzi C, Nordin JD. Receipt of pertussis vaccine during pregnancy across 7 Vaccine Safety Datalink sites. *Prev Med*. 2014;67:316-319.

Kharbanda EO, Vazquez-Benitez G, Lipkind HS, Klein NP, **Cheetham TC**, Naleway A, Omer SB, Hambidge SJ, Lee GM, Jackson ML, McCarthy NL, DeStefano F, Nordin JD. Evaluation of the association of maternal pertussis vaccination with obstetric events and birth outcomes. *JAMA*. 2014;312(18):1897-1904.

**Langer-Gould A, Qian L, Tartof SY, Brara SM, Jacobsen SJ, Beaver BE, Sy LS, Chao C, Hechter R, Tseng HF.** Vaccines and the risk of multiple sclerosis and other central nervous system demyelinating diseases. *JAMA Neurol*. 2014;71(12):1506-1513.

McNeil MM, Gee J, Weintraub ES, Belongia EA, Lee GM, Glanz JM, Nordin JD, Klein NP, Baxter R, Naleway AL, Jackson LA, Omer SB, **Jacobsen SJ**, DeStefano F. The Vaccine Safety Datalink: successes and challenges monitoring vaccine safety. *Vaccine*. 2014;32(42):5390-5398.

Naleway AL, Kurosky S, Henninger ML, Gold R, Nordin JD, Kharbanda EO, Irving S, **Cheetham TC**, Nakasato C, Glanz JM, Hambidge SJ, Davis RL, Klein NP, McCarthy NL, Weintraub E. Vaccinations given during pregnancy, 2002-2009: a descriptive study. *Am J Prev Med*. 2014;46(2):150-157.

**Tartof SY, Tseng HF, Liu IA, Qian L, Sy LS, Hechter RC, Marcy SM, Jacobsen SJ.** Exploring the risk factors for vaccine-associated and non-vaccine associated febrile seizures in a large pediatric cohort. *Vaccine*. 2014;32(22):2574-2581.

**Tartof SY, Tseng HF, Liu IL, Qian L, Sy LS, Hechter RC, Marcy SM, Jacobsen SJ.** Inpatient admission for febrile seizure and subsequent outcomes do not differ in children with vaccine-associated versus non-vaccine associated febrile seizures. *Vaccine*. 2014;32(48):6408-6414.

**Tseng HF, Schmid DS, Harpaz R, Larussa P, Jensen NJ, Rivaller P, Radford K, Folster J, Jacobsen SJ.** Herpes zoster caused by vaccine strain varicella zoster virus in an immunocompetent recipient of zoster vaccine. *Clin Infect Dis*. 2014;58(8):1125-1128.

**Tseng HF, Tartof S, Harpaz R, Luo Y, Sy LS, Hechter RC, Jacobsen SJ.** Vaccination against zoster remains effective in older adults who later undergo chemotherapy. *Clin Infect Dis*. 2014;59(7):913-919.

Weintraub ES, Baggs J, Duffy J, Vellozzi C, Belongia EA, Irving S, Klein NP, Glanz JM, **Jacobsen SJ, Naleway A**, Jackson LA, DeStefano F. Risk of intussusception after monovalent rotavirus vaccination. *N Engl J Med*. 2014;370(6):513-519.

Xu S, Newcomer S, Nelson J, **Qian L**, McClure D, Pan Y, Zeng C, Glanz J. Signal detection of adverse events with imperfect confirmation rates in vaccine safety studies using self-controlled case series design. *Biom J*. 2014;56(3):513-525.



## Women's Health

**Barber MD, Brubaker L, Burgio KL, Richter HE, Nygaard I, Weidner AC, Meneff SA, Lukacz ES, Norton P, Schaffer J, Nguyen JN, Borello-France D, Goode PS, Jakus-Waldman S, Spino C, Warren LK, Gantz MG, Meikle SF; Eunice Kennedy Shriver National Institute of Child Health and Human Development Pelvic Floor Disorders Network.** Comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse: the OPTIMAL randomized trial. *JAMA*. 2014;311(10):1023-1034.

Boisen M, Diedrich JT, **Lonky NM**, Guido R. Secondary prevention of cervical cancer part 1: screening for cervical cancer and its precursors. *Clin Obstet Gynecol*. 2014;57(2):279-291.

Goodrich SK, **Pretorius RG**, Du H, Wu R, Belinson JL. Triage of women with negative cytology and positive high-risk HPV: an analysis of data from the SHENCAST II/III Studies. *J Low Genit Tract Dis*. 2014;18(2):122-127.

Guido R, **Lonky NM**, Diedrich J. Secondary prevention of cervical cancer part 3: evidence-based management of women with cervical intraepithelial neoplasia. *Clin Obstet Gynecol*. 2014;57(2):302-315.

Jelovsek JE, Chagin K, Brubaker L, Rogers RG, Richter HE, Arya L, Barber MD, Shepherd JP, Nolen TL, Norton P, Sung V, **Meneff S**, Siddiqui N, Meikle SF, Kattan MW; Pelvic Floor Disorders Network. A model for predicting the risk of de novo stress urinary incontinence in women undergoing pelvic organ prolapse surgery. *Obstet Gynecol*. 2014;123(2 Pt 1):279-287.

**Lonky NM**, Penner KR, Diedrich JT. Current aims and challenges associated with cervical cancer prevention. *Clin Obstet Gynecol*. 2014;57(2):241-255.

**Lonky NM.** Foreword. *Clin Obstet Gynecol*. 2014; 57(2):239-240.

Madhra M, Fraser IS, **Munro MG**, Critchley HO. Abnormal uterine bleeding: advantages of formal classification to patients, clinicians and researchers. *Acta Obstet Gynecol Scand*. 2014;93(7):619-625.

**Munro MG;** Southern California Permanente Medical Group's Abnormal Uterine Bleeding Working Group. Investigation of women with postmenopausal uterine bleeding: clinical practice recommendations. *Perm J*. 2014;18(1):55-70.

Solnik MJ, **Munro MG**. Indications and alternatives to hysterectomy. *Clin Obstet Gynecol*. 2014;57(1):14-42.

Wong K, **Jakus-Waldman S**, Yazdany T. Patient beliefs regarding hysterectomy in women seeking surgery for pelvic organ prolapse: findings in a predominantly Hispanic population. *Female Pelvic Med Reconstr Surg*. 2014;20(5):267-271.



## Other Topics

**Appa SN**. Subclinical hypercortisolism in central serous chorioretinopathy. *Retin Cases Brief Rep*. 2014;8(4):310-313.

**Johna S, Woodward B, Patel S**. What can we learn from narratives in medical education? *Perm J*. 2014;18(2):92-94.

Lisi AJ, Khorsan R, Smith MM, **Mittman BS**. Variations in the implementation and characteristics of chiropractic services in VA. *Med Care*. 2014;52(12 Suppl 5):S97-104.



# Kaiser Permanente Research

Research Communications  
Department of Research & Evaluation  
Kaiser Permanente Southern California

100 S. Los Robles Ave.  
Pasadena, CA 91101

[kp.org/research](http://kp.org/research)

For more information, contact [research-communications@kp.org](mailto:research-communications@kp.org)

Produced in September 2015 (rev)